VOLUME 82 • AUTHOR INDEX

Aas M *see* Myreng Y *et al*
Aboyoun C *see* Macdonald PS *et al*
Abroug F *et al.* Management of scorpion sting: *letter,* **253**
Acquati F *see* Gasparini M *et al*
Adachi K *see* Muraishi A *et al*
Aeschbacher BC *see* de Marchi SF *et al*
Afzal A *et al.* Heart transplant for dilated cardiomyopathy associated with polymyositis, **e4**
Agewall S *et al.* Handgrip exercise increases postocclusion hyperaemic brachial artery dilatation, **93**
Agnoletti G *see* Borghi A *et al*
Agrawal S *et al.* Technician run open access exercise electrocardiography, **378**
Ahn J *see* Jarmukli NF *et al*
Alaghband-Zadeh J *see* Stubbs PJ *et al*
Alexi-Meshkishvili V *see* Vogel M *et al*
Al-Mohammad A *et al.* Can the surface electrocardiogram be used to predict myocardial viability?, **663**
Al-Saady NM *et al.* Left atrial appendage: structure, function, and role in thromboembolism: *review,* **547**
Amor R *see* Macdonald PS *et al*
Andersen C *see* TenVaarwerk IAM *et al*
Anderson G *see* Struthers AD *et al*
Anker SD *see* Leyva F *et al*
Antonini-Canterin F *et al.* Is aortic valve resistance more clinically meaningful than valve area in aortic stenosis?: *editorial,* **9**
Arbustini E *et al.* Plaque erosion is a major substrate for coronary thrombosis in acute myocardial infarction, **269**
Armstrong GP *et al.* Estimation of cardiac reserve by peak power: validation and initial application of a simplified index, **357**
Arora R *see* Kalra GS *et al*
Arquizan C *see* Deplanque D *et al*
Atherton J *see* Prasad K *et al*
Attenhofer Jost CH *see* Truninger K *et al*
Auer J *et al.* Pitfall in the diagnosis of pericardial effusion by echocardiography, **613**
Auger S *see* Goin JC *et al*
Ayers GM *see* Tse H-F *et al*

Baboonian C *see* Varnava A *et al*
Babuty D *et al.* Is it possible to identify infrahissian cardiac conduction abnormalities in myotonic dystrophy by non-invasive methods?, **634**
Bader R *et al.* Use of self expanding stents in stenotic aortopulmonary shunts in adults with complex cyanotic heart disease, **27**
Baguet J-P *et al.* Right atrial thrombus from an adrenocortical carcinoma, **522**
Bali HK *see* Jain AK and Bali HK
Bandinelli G *see* Cencetti S *et al*
Banner N *see* Dubrey SW and Banner N
Banning AP. Salvage angioplasty and stenting following spontaneous dissection of the left anterior descending coronary artery, **e6**
see Gilbert T *et al*
Bär FW *see* Vermeer F *et al*
Baratella MC *et al.* Candida endocarditis of the right heart, **100**
Barnes E, Camici PG. Prevalence of hibernating myocardium in patients with severely impaired ischaemic left ventricles: *letter,* **535**
Bass C *see* Chambers J *et al*
Bauer H *see* Böttiger BW *et al*
Bawaskar HS, Bawaskar PH. Management of scorpion sting: *letter,* **253**
Bawaskar PH *see* Bawaskar HS and Bawaskar PH
Beatt KJ *see* Fath-Ordoubadi F *et al*
Been M *see* Trevelyan J and Been M
Bello BD *see* Arbustini E *et al*
Bellotti G *see* de Lourdes Higuchi M *et al*
Benson LN *see* Lee KJ *et al*
Benson M *see* Davey P and Benson M
Berent R *see* Auer J *et al*
Berg EJV *see* Vermeer F *et al*
Berger F *see* Vogel M *et al*
Bergman P *see* Kaulitz R *et al*
Berkalp B *see* Doven O *et al*
Bernardi L *see* Cencetti S *et al*
Bertel O *see* Straumann E *et al*
Bertrand OF *et al.* Early and late effects of radiation treatment for prevention of coronary restenosis: a critical appraisal, **658**
Beurrier D *see* Brembilla-Perrot B *et al*
Beyersdorf F *see* Ihling C *et al*
Biasucci LM *see* Maseri A *et al*
Biffi M *et al.* Electrophysiological effects of flecainide and propafenone on atrial fibrillation cycle and relation with arrhythmia termination, **176**
Birchall AS *see* Steeds RP *et al*
Birkhead JS, Myocardial Infarction Audit Group. Trends in the provision of thrombolytic treatment between 1993 and 1997, **438**
Blanksma PK *see* Muntinga HJ *et al*
Blommaert D *see* Gurné O *et al*
Bocciarelli M *see* Arbustini E *et al*
Bode C *see* Böttiger BW *et al*
Boehmer AG *see* Vermeer F *et al*
Boersma E. Acute myocardial infarction: bring the treatment to the patient: *editorial,* **404**
Bohn DJ *see* Lee KJ *et al*
Bojö L *see* Wandt B *et al*
Bonatti R *see* Botto GL *et al*
Bongaerts AHH *see* Rensing BJ *et al*
Bonini W *see* Botto GL *et al*
Bonnet D *see* Butera G *et al*
Bonsel GJ *see* Reitsma JB *et al*
Bonser RS *see* Pagano D *et al* associated with the transthyretin Ile122 mutation in a white man, **e2**
Booth DR *see* Gillmore JD *et al*
Boppart SA *see* Fujimoto JG *et al*
Borda ES *see* Goin JC *et al*
Borghi A *et al.* Aortic balloon dilatation for congenital aortic stenosis: report of 90 cases (1986-98), **e10**
Boriani G *see* Biffi M *et al*
Borst C *see* Smits PC *et al*
Bosmans J *see* Vrints CJ *et al*
Böttiger BW *et al.* Long term outcome after out-of-hospital cardiac arrest with physician staffed emergency medical services: the Utstein style applied to a midsized urban/suburban area, **674**
Botto GL *et al.* External cardioversion of atrial fibrillation: role of paddle position on technical efficacy and energy requirements, **726**
Bouma BE *see* Fujimoto JG *et al*
Bouma BJ *et al.* To operate or not on elderly patients with aortic stenosis: the decision and its consequences, **143**
Bourassa MG *see* Bertrand OF *et al*
Bourke JP *et al.* Surgery for postinfarction ventricular tachycardia in the pre-implantable cardioverter defibrillator era: early and long term outcomes in 100 consecutive patients, **156**
Bouvier F *see* Jensen-Urstad K *et al*
Branzi A *see* Biffi M *et al*
Braunwald E. Management of unstable angina based on considerations of aetiology, **I5**
Braunwald E, Gurfinkel E. Advances in unstable angina: the role of low molecular weight heparins: *editorial,* **I1**
Chairmen's summary: *editorial,* **I21**
Brecker SJD *et al.* Aortic root abscess: *editorial,* **260**
Brembilla-Perrot B *et al.* Predicting the effect of D,L-sotalol on ventricular tachycardia inducibility from the RR variability response, **307**
Brener S, Topol EJ. Logic and logistics: conundrum in reperfusion treatment for acute myocardial infarction: *editorial,* **402**
Brezinski ME *see* Fujimoto JG *et al*
Brignole M *see* Gasparini M *et al*
Broadley AJM, Marshall AJ. Self administration of metolazone reduces readmissions with decompensated congestive cardiac failure: *letter,* **397**
Broffoni T *see* Botto GL *et al*
Bronzetti G *see* Biffi M *et al*
Brookes CIO, Sigwart U. Taming platelets in coronary stenting: ticlopidine out, clopidogrel in?: *editorial,* **651**
see Melikian N *et al*
Brown D *see* Mulholland HC *et al*
Brown N *see* Melville MR *et al*
Brugemann J *see* Tuinenburg AE *et al*
Brunninkhuis LG *see* Vermeer F *et al*
Brzezinska-Rajszys G *see* Magee AG *et al*
Buche M *see* Gurné O *et al*
Buckley A *see* Mahy IR *et al*
Buckley AE *et al.* Cardiac involvement in Emery Dreifuss muscular dystrophy: a case series, **105**
Burke AP *see* Arbustini E *et al*
Burns JE *see* Codispoti M *et al*
Burrell C *see* Elford J *et al*
Butera G *et al.* Total cavopulmonary and atriopulmonary connections are associated with reduced heart rate variability, **704**

Camici PG *see* Barnes E and Camici PG
see Fath-Ordoubadi F *et al*
see Pagano D *et al*
Camm AJ *see* Al-Saady NM *et al*
Campbell RWF *see* Bourke JP *et al*
Capucci A *see* Biffi M *et al*
Carlier SG *see* Armstrong GP *et al*
Carminati M *see* Borghi A *et al*

Carson KGS *see* Murray S *et al*
Carter GD *see* Stubbs PJ *et al*
Casey F *see* Mulholland HC *et al*
Cavalli A. Commotio cordis: a precordial thump?: *letter,* **534**
Cencetti S *et al.* Autonomic control of the cerebral circulation during normal and impaired peripheral circulatory control, **365**
Cendon AA *see* Gonzalez-Juanatey JR *et al*
César LAM *see* Mansur AP *et al*
see Takeda S *et al*
Chambers J. Exercise testing to guide surgery in aortic stenosis: *editorial,* **7**
Should percutaneous devices be used to close a patent foramen ovale after cerebral infarction or TIA?: *editorial,* **537**
Should we ever treat the echo rather than the patient?: *editorial,* **652**
see Takeda S *et al*
Chambers J *et al.* Non-cardiac chest pain: assessment and management: *editorial,* **656**
Chan KC *et al.* Transcatheter closure of atrial septal defect and interatrial communications with a new self expanding nitinol double disc device (Amplatzer septal occluder): multicentre UK experience, **300**
see Duke C and Chan KC
Channer KS *see* Steeds RP *et al*
Chaoui R *see* Tennstedt C *et al*
Chaturvedi RR *et al.* Inhibition of nitric oxide synthesis improves left ventricular contractility in neonatal pigs late after cardiopulmonary bypass, **740**
Chavanon O *see* Baguet J-P *et al*
Cheng TO. Contrast echocardiography during pericardiocentesis: *letter,* **534**
Chenu P *see* Gurné O *et al*
Cheriex EC *see* Bouma BJ *et al*
Cherry CJ *see* Darbar D *et al*
Chou TM *see* Michaels AD and Chou TM
Christensen TD *see* Chaturvedi RR *et al*
Chua T-P *see* Leyva F *et al*
Cipriani M *see* Cencetti S *et al*
Claeys MJ *see* Vrints CJ *et al*
Clark AL *see* Picozzi NM *et al*
Claudon O *see* Brembilla-Perrot B *et al*
Cleveland T *see* Gunn J *et al*
Coats AJS *see* Leyva F *et al*
Cobbe SM *see* Pell JP *et al*
Codispoti M *et al.* Persistent pulmonary hypertension of the newborn associated with pulmonary atresia and intact interventricular septum, **531**
Collins PD *see* Murray S *et al*
Collinson PO *see* Stubbs PJ *et al*
Conraads V *see* Vrints CJ *et al*
Contini M *see* Moruzzi P *et al*
Cooper A *et al.* Why patients do not attend cardiac rehabilitation: role of intentions and illness beliefs, **234**
Corea F *see* Deplanque D *et al*
Corrigan N *see* Mulholland HC *et al*
Cosnay P *see* Babuty D *et al*
Costeira A *see* Ribeiro A *et al*
Côté J-M *see* Rohlicek CV *et al*
Council of the British Cardiovascular Intervention Society *see* de Belder MA and Council of the British Cardiovascular Intervention Society
see Gray HH and Council of the British Cardiovascular Intervention Society
Cracowski J-L *see* Baguet J-P *et al*
Craig BG *see* Mulholland HC *et al*
Crake T *see* Tousoulis D *et al*
Creed F. The importance of depression following myocardial infarction: *editorial,* **406**
Cremer J *see* Fraund S *et al*
Crijns HJGM *see* Muntinga HJ *et al*
see Tuinenburg AE *et al*
Cunningham D *see* Rickards A and Cunningham D

Dähnert I *see* Stiller B *et al*
Daida H *see* Suzuki H *et al*
Dalsey WC *see* Hillis GS *et al*
Dalstra JAA *see* Reitsma JB *et al*
Dan M *see* Baratella MC *et al*
Danbauchi SS *see* Agrawal S *et al*
Danchin N, Urban P. PTCA versus CABG: a different interpretation of the results of randomised trials comparing both treatments, **413**
Daou D *see* Larrazet F *et al*
Darbar D *et al.* QT dispersion is reduced after valve replacement in patients with aortic stenosis, **15**
Dargie HJ. Recent clinical data regarding the use of β blockers in heart failure: focus on CIBIS II, **IV2**
see Fox K *et al*
see Murdoch DR *et al*
Dassen WR *see* Vermeer F *et al*
Daures J-P *see* Leclercq F *et al*
Davey P. A new physiological method for heart rate correction of the QT interval, **183**
Davey P, Benson M. A young man with a heavy heart, **e11**
Davies G *see* Tousoulis D *et al*
Davies MJ *see* Mann J and Davies MJ
see Varnava A *et al*
Davies MK, Hollman A. Conferences, **650**
de Musset sign, **262**
Exercise testing, **538**
Foundations and institutions, **120**
Hypertension, **408**
Miniature sheets (2), **4**
Davies P *see* Pagano D *et al*
Davison F *see* Varnava A *et al*
Davy J-M *see* Leclercq F *et al*
Dean J *see* Buckley AE *et al*
de Belder MA *see* Norell MS *et al*
see Sutton AGC *et al*
de Belder MA, Council of the British Cardiovascular Intervention Society. Cardiac intervention procedures in the United Kingdom 1997: developments in data collection, **II2**
de Belder MA, Hall JA. Infarct angioplasty: *editorial,* **399**
de Bono DP *see* Fox K *et al*
see Thompson DR and de Bono DP
de Brito T *see* de Lourdes Higuchi M *et al*
de Bruin HG *see* van Geuns RJM *et al*
de Caestecker L *see* Dunn NR *et al*
de Cruz L *see* Varnava A *et al*
de Ferrari GM *see* Gasparini M *et al*
de Feyter P *see* van Domburg RT *et al*
de Feyter PJ *see* Rensing BJ *et al*
see van Geuns RJM *et al*
de Jaegere PPT *see* Smits PC *et al*
see van Domburg RT *et al*
DeJongste MJL *see* TenVaarwerk IAM *et al*
de Kam PJ *see* Muntinga HJ *et al*
see Tuinenburg AE *et al*
Dekker E *see* Bouma BJ *et al*
de La Pena MG *see* Gonzalez-Juanatey JR *et al*
Delise P *see* Gasparini M *et al*
de Lourdes Higuchi M *et al.* Different microcirculatory and interstitial matrix patterns in idiopathic dilated cardiomyopathy and Chagas' disease: a three dimensional confocal microscopy study, **279**
de Marchi SF *et al.* Influence of left ventricular relaxation on the pressure half time of aortic regurgitation, **607**
Dennig K, Lehmann G. Thrombosis of an aortic valve prosthesis, **653**
Deplanque D *et al.* Stroke and atrial fibrillation: is stroke prevention treatment appropriate beforehand?, **563**
de Roos A *see* Niezen RA *et al*
Descours Q *see* Leclercq F *et al*
Dhillon R *et al.* Transcatheter closure of atrial septal defects in adults with the Amplatzer septal occluder, **559**
Dietel M *see* Tennstedt C *et al*
Dini FL *see* Nagy A *et al*
Dobnig H *see* Fruhwald FM *et al*
Doig JC *see* Bourke JP *et al*
Doig W *see* Houston A *et al*
Domanovits H *see* Gyöngyösi M *et al*
Domínguez JCC *et al.* Infective endocarditis as a complication of a rupturedaneurysm of the sinus of Valsalva, **278**
Dougall H *see* Mahy IR *et al*
Doughty RN *see* Agewall S *et al*
Douglas PS *see* Weigner MJ *et al*
Doven O *et al.* Left main coronary artery lesion detected by transoesophageal echocardiography before cardioversion, **667**
Dubrey SW, Banner N. Home inotrope treatment for intractable heart failure following heart transplantation, **248**
Duke C, Chan KC. Aortic obstruction caused by device occlusion of patent arterial duct, **109**
Dunn NR *et al.* Risk of myocardial infarction in young female smokers, **581**

Easaw J *et al.* Spontaneous splenic haematoma after thrombolysis for acute myocardial infarction in a patient with von Recklinghausen's disease, **442**
Eber B *see* Auer J *et al*
Ebrahim SBJ *see* Whincup PH *et al*
Ector H. Prognostic significance of electrical alternans *v* signal averaged ECG in predicting the outcome of electrophysiological testing and arrhythmia-free survival: *letter,* **535**
Eefting FD *see* Smits PC *et al*
Elatrous S *see* Abroug F *et al*
Elford J *et al.* Ultrasound guided percutaneous thrombin injection for the treatment of iatrogenic pseudoaneurysms, **526**
Eliasson T *see* TenVaarwerk IAM *et al*
Elkkari A *see* Easaw J *et al*
Elliott P *see* Maheswaran R *et al*
Elliott PM *see* Varnava A *et al*
ESSENCE Study Investigators *see* Fox KAA and ESSENCE Study Investigators
Eucher P *see* Gurné O *et al*
Ewings PD *see* Murray S *et al*

Eykyn SJ *see* Brecker SJD *et al*

Fabbri A *see* Baratella MC *et al*
Faggiano P *see* Antonini-Canterin F *et al*
Fahrleitner A *see* Fruhwald FM *et al*
Falconer S *see* Maheswaran R *et al*
Faragher B *see* Dunn NR *et al*
Fath-Ordoubadi F *et al.* Efficacy of coronary angioplasty for the treatment of hibernating myocardium, **210**
Fattorini L *see* Cencetti S *et al*
Fauchier JP *see* Babuty D *et al*
Fauchier L *see* Babuty D *et al*
Fernandes F *see* Ribeiro A *et al*
Fernandez MV *see* Gonzalez-Juanatey JR *et al*
Ferreira Jr AG *see* Moraes ADN *et al*
Ferreira SMAG *see* Moraes ADN *et al*
Fesslova' V *et al.* Evolution and long term outcome in cases with fetal diagnosis of congenital heart disease: Italian multicentre study, **594**
Fetal Cardiology Study Group of the Italian Society of Pediatric Cardiology *see* Fesslova' V *et al*
Fieguth H-G *see* Fraund S *et al*
Finley J *see* Rohlicek CV *et al*
Finlayson HC *see* Serrardor JM *et al*
Fitzpatrick AP *see* Zaidi AM *et al*
Foley DP *see* van Domburg RT *et al*
Follath F *see* Truninger K *et al*
Fondevila CG *see* Meschengieser SS *et al*
Font del Pino S *see* Rohlicek CV *et al*
Fotopoulos GD *et al.* Stabilisation of medically refractory ventricular arrhythmia by intra-aortic balloon counterpulsation, **96**
Fournier C *see* Larrazet F *et al*
Fox KAA, ESSENCE Study Investigators. Low molecular weight heparin (enoxaparin) in the management of unstable angina: the ESSENCE study, **I12**
Fox K *et al.* Effect of an α_2 agonist (mivazerol) on limiting myocardial ischaemia in stable angina, **383**
Franke U *see* Fraund S *et al*
Fraser C *see* Struthers AD *et al*
Fraund S *et al.* Ten year survival after heart transplantation: palliative procedure or successful long term treatment?, **47**
Freedom RM *see* Lee KJ *et al*
Freeman LJ, Page AJ. Outpatient clinics for adults with congenital heart disease: *letter,* **256**
Frenneaux MP *see* Prasad K *et al*
Frielingsdorf J *see* Straumann E *et al*
Fruhwald FM *et al.* N-terminal proatrial natriuretic peptide correlates with systolic dysfunction and left ventricular filling pattern in patients with idiopathic dilated cardiomyopathy, **630**
Fujimoto JG *et al.* High resolution in vivo intra-arterial imaging with optical coherence tomography, **128**
Fujimoto Y *et al.* Nicorandil abolished repolarisation alternans in a patient with idiopathic long QT syndrome, **e8**
Fukamachi K *see* Armstrong GP *et al*
Fukasawa S *see* de Lourdes Higuchi M *et al*
Fukushima KK *see* Fujimoto Y *et al*
Furniss SS *see* Bourke JP *et al*

Gaines P *see* Gunn J *et al*
Gallai V *see* Deplanque D *et al*
Garcia-Acuna JM *see* Gonzalez-Juanatey JR *et al*
Garcia-Bengoechea JB *see* Gonzalez-Juanatey JR *et al*
Gasparini M *et al.* Thromboembolism after atrioventricular node ablation and pacing: long term follow up, **494**
Gatzoulis MA *see* Therrien J *et al*
Gerber A *see* Straumann E *et al*
Gerber B *see* Vanoverschelde J-LJ *et al*
Ghrew MH *et al.* Transfusion associated graft versus host disease: *letter,* **255**
Gianfranchi L *see* Gasparini M *et al*
Gibbs JL *see* Chan KC *et al*
Gibson DG *see* Henein MY *et al*
Gilbert T *et al.* Surgery for aortic stenosis in severely symptomatic patients older than 80 years: experience in a single UK centre, **138**
Gillmore JD *et al.* Hereditary cardiac amyloidosis associated with the transthyretin Ile122 mutation in a white man, **e2**
Glogar D *see* Gyöngyösi M *et al*
Glunz HG *see* Zahn R *et al*
Godman MJ *see* Chan KC *et al*
Godsland IF *see* Leyva F *et al*
Goin JC *et al.* Cardiac M_2 muscarinic cholinoceptor activation by human chagasic autoantibodies: association with bradycardia, **273**
Gonzalez-Juanatey JR *et al.* Haemodynamic performance of aortic pericardial bioprostheses and bileaflet prostheses at rest and during exercise: implications for the surgical management of patients with small aortic roots, **149**
Goodfellow J *see* Agrawal S *et al*
Gosselink ATM *see* Muntinga HJ *et al*
Gottwik M *see* Zahn R *et al*
Grabner C *see* Böttiger BW *et al*
Gray D *see* Melville MR *et al*
Gray HH, Council of the British Cardiovascular Intervention Society. Cardiac interventional procedures in the UK 1992 to 1996, **II10**
Griffith MJ *see* Lau EW *et al*
Groenink M *et al.* Survival and complication free survival in Marfan's syndrome: implications of current guidelines, **499**
Grolleau-Raoux R *see* Leclercq F *et al*
Grossinho A *see* Maheswaran R *et al*
Grotte GJ *see* Zaidi AM *et al*
Gunn J *et al.* Covered stent to treat co-existent coarctation and aneurysm of the aorta in a young man, **351**
Gunning-Schepers LJ *see* Reitsma JB *et al*
Gurfinkel E *see* Braunwald E and Gurfinkel E
see Braunwald E and Gurfinkel E
Gurfinkel E, Scirica BM. Low molecular weight heparins (enoxaparin) in the management of unstable angina: the TIMI studies, **I15**
Gurné O *et al.* Adaptive mechanisms of arterial and venous coronary bypass grafts to an increase in flow demand, **336**
Gyöngyösi M *et al.* Arterial remodelling of native human coronary arteries in patients with unstable angina pectoris: a prospective intravascular ultrasound study, **68**

Haendeler J *see* Ihling C *et al*
Hager F-X *see* Leclercq F *et al*
Hall JA *see* de Belder MA and Hall JA
Hamburger J *see* van Domburg RT *et al*
Hamer HPM *see* Bouma BJ *et al*
Haq IU *see* Pickin DM *et al*
Harringer W *see* Fraund S *et al*
Harris J. Cardiac surgery in the elderly: *commentary,* **119**
Hart RG. Warfarin in atrial fibrillation: underused in the elderly, often inappropriately used in the young: *editorial,* **539**
Hassan A *see* Gyöngyösi M *et al*
Hauptmann KE *see* Zahn R *et al*
Hausdorf G *see* Kaulitz R *et al*
Haverich A *see* Fraund S *et al*
Hawkins PN *see* Gillmore JD *et al*
Haworth SG *see* Codispoti M *et al*
Hayward MP. Dynamic cardiomyoplasty: time to wrap it up?: *editorial,* **263**
Heagerty AM *see* Kingston PA and Heagerty AM
Heaven D. Apparent fracture of a pacemaker lead, **104**
Helbing WA *see* Niezen RA *et al*
Henein MY *et al.* Restrictive pericarditis, **389**
Hennekam RCM *see* Groenink M *et al*
Hennig E *see* Stiller B *et al*
Hetzer R *see* Stiller B *et al*
Hewitson J *see* Lawrenson J *et al*
Hewitt J *see* McLeod KA *et al*
Higgins RSD *see* Afzal A *et al*
Hillis GS *et al.* Utility of cardiac troponin I, creatine kinase-MB_{mass}, myosin light chain 1, and myoglobin in the early in-hospital triage of "high risk" patients with chest pain, **614**
Hillis WS *see* Picozzi NM *et al*
Hilton CJ *see* Bourke JP *et al*
Hina K *et al.* Decreased amplitude of left ventricular posterior wall motion with notch movement to determine the left posterior septal accessory pathway in Wolff-Parkinson-White syndrome, **731**
Hirami R *see* Hina K *et al*
Hjortdal VE *see* Chaturvedi RR *et al*
Hobbs FDR. The scale of heart failure: diagnosis and management issues for primary care, **IV8**
Höjer J *see* Jensen-Urstad K *et al*
Hollman A *see* Davies MK and Hollman A
Hosking M *see* Rohlicek CV *et al*
Houriez P *see* Brembilla-Perrot B *et al*
Houston AB *see* McLeod KA *et al*
Houston A *et al.* Assessment of the quality of neonatal echocardiographic images transmitted by ISDN telephone lines, **222**
Hsieh F-C *see* Wu M-H *et al*
Hughson RL *see* Serrardor JM *et al*
Hulshoff MD *see* van Geuns RJM *et al*
Hulting J *see* Jensen-Urstad K *et al*

Ihling C *et al.* Cystic medial degeneration of the aorta is associated with p53 accumulation, Bax upregulation, apoptotic cell death, and cell proliferation, **286**
Ijiri H *see* Takusagawa M *et al*
Ilsley CDJ *see* Fotopoulos GD *et al*
Imaizumi T *see* Muraishi A *et al*
Iranmanesh A *see* Jarmukli NF *et al*
Iserin L *see* Butera G *et al*
Ishihara T *see* Takusagawa M *et al*
Iwasaki K *see* Hina K *et al*

Jackson G *see* Cooper A *et al*
Jackson PR *see* Pickin DM *et al*
Jain AK, Bali HK. Stenting for middle aortic syndrome: *letter,* **536**

Jain S *see* Sandoe JAT *et al*
James MA *see* Murray S *et al*
Janvrin S *see* Treasure T and Janvrin S
Jarmukli NF *et al.* Effect of raised plasma β endorphin concentrations on peripheral pain and angina thresholds in patients with stable angina, **204**
Jarwe M *see* Kouakam C *et al*
Jeffrey RR *see* Mahy IR *et al*
Jenni R *see* Truninger K *et al*
Jennings KP *see* Mahy IR *et al*
Jensen-Urstad K *et al.* Prognostic value of symptom limited versus low level exercise stress test before discharge in patients with myocardial infarction treated with thrombolytics, **199**
Jensen-Urstad M *see* Jensen-Urstad K *et al*
Jepson NS *see* Fotopoulos GD *et al*
Jessurun GAJ *see* Tenvaarwerk IAM *et al*
Johnston DW. Lifestyle changes after a myocardial infarction: *editorial*, **543**
Johnston JD. Is the Framingham risk function valid for northern European populations?: *letter*, **114**
Johnston PW *see* Johnston SD *et al*
Johnston SD *et al.* Carcinoid constrictive pericarditis, **641**
Jones RA *see* Rana BS *et al*
Jukema JW. Matching treatment to the genetic basis of (lipid) disorder in patients with coronary artery disease: *editorial*, **126**

Kacet S *see* Kouakam C *et al*
Kachaner J *see* Butera G *et al*
Kai H *see* Muraishi A *et al*
Kalra GS *et al.* Transcatheter closure of ventricular septal defect using detachable steel coil, **395**
Kalra L *see* Perez I *et al*
Katz SE *see* Weigner MJ *et al*
Kau M-L *see* Wu M-H *et al*
Kaulitz R *et al.* Instantaneous pressure–flow velocity relations of systemic venous return in patients with univentricular circulation, **294**
Keenan DJM *see* Zaidi AM *et al*
Kelion AD. Effect of repetitive episodes of exercise induced myocardial ischaemia on left ventricular function in patients with chronic stable angina: *letter*, **398**
Kendall MJ. Possible mechanisms of action in the positive effect of β blockers in heart failure, **IV5**
Keogh AM *see* Macdonald PS *et al*
Kerr KG *see* Sandoe JAT *et al*
Kerins DM *see* Darbar D *et al*
Khan K. Is BNP ready for use in clinical practice?: *letter*, **254**
Kharkevitch T *see* Fox K *et al*
Kingston PA, Heagerty AM. Gene therapy made difficult: *letter*, **115**
Kita T *see* Hina K *et al*
Kitchiner D. Subaortic stenosis: still more questions than answers: *editorial*, **647**
Klein W *see* Fruhwald FM *et al*
Klug D *see* Kouakam C *et al*
Koch KT *see* Verberne HJ *et al*
Kohl P. Commotio cordis: early observations: *letter*, **397**
Kohno I *see* Takusagawa M *et al*
Komori S *see* Takusagawa M *et al*
Konzag I *et al.* Aorto-left ventricular tunnel, **225**
Körner H *see* Tennstedt C *et al*
Koster RW *see* Reitsma JB *et al*
Kouakam C *et al.* Inadequate sympathovagal balance in response to orthostatism in patients with unexplained syncope and a positive head up tilt test, **312**
Kramer A *see* Vogel M *et al*
Krishnamoorthy KM. Radiological findings in total anomalous pulmonary venous connection, **696**
Ksiazyk J *see* Magee AG *et al*
Kuno A *see* Tsuchihashi K *et al*
Kurbaan AS, Sutton R. Pacing for vasovagal syncope: *editorial*, **649**
Kusachi S *see* Hina K *et al*
Kyriakidis M *see* Dhillon R *et al*

Lacroix D *see* Kouakam C *et al*
Laggner A *see* Gyöngyösi M *et al*
Lagi A *see* Cencetti S *et al*
Lahiri A *see* Senior R and Lahiri A
Lange PE *see* Stiller B *et al*
see Vogel M *et al*
Larrazet F *et al.* Concordance between dobutamine Doppler tissue imaging echocardiography and rest reinjection thallium-201 tomography in dysfunctional hypoperfused myocardium, **432**
Lau C-P *see* Tse H-F *et al*
Lau EW *et al.* A new ECG sign of an accessory pathway in sinus rhythm: pseudo partial right bundle branch block, **244**
Lawrenson J *et al.* Mycotic aneurysm of the left pulmonary artery in a child with tetralogy of Fallot and *Streptococcus viridans* infective endocarditis, **88**
Laycock JF *see* Stubbs PJ *et al*
Lazzari MA *see* Meschengieser SS *et al*
Leb G *see* Fruhwald FM *et al*
Leche J *see* Babuty D *et al*
Leclercq F *et al.* Combined assessment of reflow and collateral blood flow by myocardial contrast echocardiography after acute reperfused myocardial infarction, **62**
Lee AFC *see* MacFadyen RJ *et al*
Lee KJ *et al.* Clinical outcomes of acute myocarditis in childhood, **226**
le Franc P *see* Kouakam C *et al*
Lehmann G *see* Dennig K and Lehmann G
Lehnert S *see* Bertrand OF *et al*
Lennon L *see* Whincup PH *et al*
Levy T *et al.* Initial experience in the extraction of chronically implanted pacemaker leads using the Excimer laser sheath, **101**
Lewin RJP. Improving quality of life in patients with angina: *editorial*, **654**
Lewis ME *see* Pagano D *et al*
Leys D *see* Deplanque D *et al*
Leyva F *et al.* Loss of the normal coupling between the anaerobic threshold and insulin sensitivity in chronic heart failure, **348**
Lie KI *see* Bouma BJ *et al*
Lilley S *see* Houston A *et al*
Lindsay KA *see* Picozzi NM *et al*
Liuzzo G *see* Maseri A *et al*
Lloyd G *see* Cooper A *et al*
Logier R *see* Kouakam C *et al*
Lohuis TAJ *see* Groenink M *et al*
Louagie Y *see* Gurné O *et al*
Lousberg AH *see* Vermeer F *et al*
Lubbers LJ *see* van Nieuwenhuizen RC *et al*
Luhmer I *see* Kaulitz R *et al*
Lund M *see* Macdonald PS *et al*

Macdonald PS *et al.* Impact of concurrent amiodarone treatment on the tolerability and efficacy of carvedilol in patients with chronic heart failure, **589**
MacDonald TM *see* Dunn NR *et al*
see Struthers AD *et al*
MacFadyen RJ *et al.* How often are angiotensin II and aldosterone concentrations raised during chronic ACE inhibitor treatment in cardiac failure?, **57**
see Struthers AD *et al*
McCabe CJ *see* Pickin DM *et al*
McCaffrey D *see* Macdonald PS *et al*
McCann GP *see* Picozzi NM *et al*
McCollum C *see* Dunn NR *et al*
McComb JM *see* Bourke JP *et al*
see Sutton AGC *et al*
McCord B *see* Mulholland HC *et al*
McCrindle BW *see* Lee KJ *et al*
McKenna WJ *see* Prasad K *et al*
see Varnava A *et al*
McLeod K *see* Houston A *et al*
McLeod KA *et al.* Cardiac pacing for severe childhood neurally mediated syncope with reflex anoxic seizures, **721**
Transhepatic approach for cardiac catheterisation in children: initial experience, **694**
McMurray JJV. Future management of heart failure, **IV1**
Major β blocker mortality trials in chronic heart failure: a critical review, **IV14**
see Murdoch DR *et al*
Magee AG *et al.* Stent implantation for aortic coarctation and recoarctation, **600**
see Schneider MBE *et al*
Magenta G *see* Gasparini M *et al*
Magnani B *see* Biffi M *et al*
Maheswaran R *et al.* Magnesium in drinking water supplies and mortality from acute myocardial infarction in north west England, **455**
Mahy IR *et al.* Routine hospital based follow up for patients with mechanical valve prostheses: is it worthwhile?, **520**
see Al-Mohammad A *et al*
see Buckley AE *et al*
Maier R *see* Fruhwald FM *et al*
Malek M. Health economics of heart failure, **IV11**
Mangione A *see* Hillis GS *et al*
Mankad PS *see* Codispoti M *et al*
see Prendergast B *et al*
Mann J, Davies MJ. Mechanisms of progression in native coronary artery disease: role of healed plaque disruption, **265**
Mann R *see* Dunn NR *et al*
Mann T. The radial approach for coronary angiography and stenting: *editorial*, **411**
Mannheimer C *see* TenVaarwerk IAM *et al*
Manning WJ *see* Weigner MJ *et al*
Mansur AP *et al.* Effect of cholesterol lowering treatment on positive exercise tests in patients with hypercholesterolaemia and normal coronary angiograms, **689**
Mantica M *see* Gasparini M *et al*
Mantovan R *see* Gasparini M *et al*
Marchandise B *see* Gurné O *et al*
Marin M *see* Nistri S *et al*
Mark DB. Optimising outcomes: socioeconomic perspective, **I18**
Marsden AK *see* Pell JP *et al*

Marshall AJ *see* Broadley AJM and Marshall AJ
Martin E *see* Böttiger BW *et al*
Martin W *see* Ng GA *et al*
Marusaki S *see* Tsuchihashi K *et al*
Marwick TH *see* Armstrong GP *et al*
Mas JL *see* Deplanque D *et al*
Maseri A *et al.* Pathogenic mechanisms in unstable angina, **I2**
Mason MJ *see* Fotopoulos GD *et al*
Matano S *see* Hina K *et al*
Maximal Individual Therapy in Acute Myocardial Infarction (MITRA) Study Group *see* Zahn R *et al*
Mayou R *see* Chambers J *et al*
see Mills P and Mayou R
Melbourn A *see* Perez I *et al*
Melikian N *et al.* Management of superior vena caval obstruction secondary to a pacing wire with percutaneous intravascular stent insertion, **182**
Melin JA *see* Vanoverschelde J-LJ *et al*
Melville MR *et al.* Cardiac rehabilitation: socially deprived patients are less likely to attend but patients ineligible for thrombolysis are less likely to be invited, **373**
Menozzi C *see* Gasparini M *et al*
Meschengieser SS *et al.* Anticoagulation in pregnant women with mechanical heart valve prostheses, **23**
Messner-Pellenc P *see* Leclercq F *et al*
Michaels AD, Chou TM. The Vineberg procedure, **569**
Mikecz P *see* Al-Mohammad A *et al*
Mills P, Mayou R. Hearts and minds: *editorial*, **257**
Miro J *see* Rohlicek CV *et al*
Mitchell AG *see* Fotopoulos GD *et al*
Mølstad P *see* Myreng Y *et al*
Monaghan MJ *see* Shaw LJ *et al*
Mongrain R *see* Bertrand OF *et al*
Moniwa N *see* Tsuchihashi K *et al*
Monro JL *see* Premsekar R *et al*
Moraes ADN *et al.* Left ventricular pseudoaneurysm complicating infective pericarditis, **393**
Morbini P *see* Arbustini E *et al*
Moreno AR *see* Domínguez JCC *et al*
Morita H *see* Fujimoto Y *et al*
Morris R *see* Whincup PH *et al*
Morris S *see* Maheswaran R *et al*
Morton JJ *see* MacFadyen RJ *et al*
see Murdoch DR *et al*
Moruzzi P *et al.* Sleep apnoea in ischaemic heart disease: differences between acute and chronic coronary syndromes, **343**
Motsch J *see* Böttiger BW *et al*
Mulder BJM *see* Groenink M *et al*
see van Nieuwenhuizen RC *et al*
Mulholland HC *et al.* Application of a low cost telemedicine link to the diagnosis of neonatal congenital heart defects by remote consultation, **217**
Muntinga HJ *et al.* Left ventricular beat to beat performance in atrial fibrillation: dependence on contractility, preload, and afterload, **575**
Muraishi A *et al.* Malalignment of the sarcomeric filaments in hypertrophic cardiomyopathy with cardiac myosin heavy chain gene mutation, **625**
Murakami T *see* Hina K *et al*
Murdoch DR *et al.* Inappropriately low plasma leptin concentration in the cachexia associated with chronic heart failure, **352**
Murray S *et al.* Spinal cord stimulation significantly decreases the need for acute hospital admission for chest pain in patients with refractory angina pectoris, **89**
Murtagh E *see* Houston A *et al*
Myocardial Infarction Audit Group *see* Birkhead JS and Myocardial Infarction Audit Group
Myreng Y *et al.* Safety of the transpulmonary ultrasound contrast agent NC100100: a clinical and haemodynamic evaluation in patients with suspected or proved coronary artery disease, **333**

Naeff MSJ *see* Groenink M *et al*
Naegeli B *see* Straumann E *et al*
Nagy A *et al.* Added value of contrast echocardiography in assessing myocardial viability: *review*, **III22**
Nampoothiri K *see* Ihling C *et al*
Nava S *see* Fesslova' V *et al*
Neuhaus KL. New antithrombotic and antiplatelet treatment, **I8**
Neurocardiology WGO *see* TenVaarwerk IAM *et al*
Newby DE *see* Prendergast B *et al*
Newman S, Stygall J. Changes in cognition following cardiac surgery: *editorial*, **541**
Ng GA *et al.* Imaging of adenosine bolus transit following intravenous administration: insights into antiarrhythmic efficacy, **163**
see Lau EW *et al*
Nicolau JC *see* Mansur AP *et al*
Niezen RA *et al.* Left ventricular function in adults with mild pulmonary insufficiency late after Fallot repair, **697**
Nihoyannopoulos P *see* Prasad K *et al*
see Shaw LJ *et al*
Nishi H *see* Muraishi A *et al*
Nistri S *et al.* Aortic root dilatation in young men with normally functioning bicuspid aortic valves, **19**
Noble MIM *see* Stubbs PJ *et al*
Norell MS *et al.* Interventional cardiology : *editorial*, **II1**
Norrie J *see* McLeod KA *et al*
Norton MY *see* Al-Mohammad A *et al*
Nossen JØ *see* Myreng Y *et al*
Nouira S *see* Abroug F *et al*
Nozawa A *see* Tsuchihashi K *et al*

Obel OA *see* Al-Saady NM *et al*
O'Brien E *see* Owens P and O'Brien E
Odom NJ *see* Zaidi AM *et al*
Oftedal B *see* Myreng Y *et al*
Ohe T *see* Fujimoto Y *et al*
Ohnishi N *see* Hina K *et al*
Oh-Numa Y *see* Tsuchihashi K *et al*
Oliver MF *see* Fox K *et al*
Ometto R *see* Gasparini M *et al*
Ophuis AJMO *see* Vermeer F *et al*
Oppelt P *see* Fraund S *et al*
Oral D *see* Doven O *et al*
O'Rourke D *see* Johnston SD *et al*
Orr W *see* Gilbert T *et al*
Otto CM. The difficulties in assessing patients with moderate aortic stenosis: *editorial*, **5**
Oudkerk M *see* Rensing BJ *et al*
see van Geuns RJM *et al*
Owens P, O'Brien E. Hypotension in patients with coronary disease: can profound hypotensive events cause myocardial ischaemic events?, **477**

Packham C *see* Melville MR *et al*
Pagano D *et al.* Coronary revascularisation for postischaemic heart failure: how myocardial viability affects survival, **684**
Page AJ *see* Freeman LJ and Page AJ
Palisi M *see* Nistri S *et al*
Parnetti L *see* Deplanque D *et al*
Parzianello LC *see* de Lourdes Higuchi M *et al*
Pascual DA *et al.* Unusual congenital coronary anomaly and myocardial ischaemia, **e7**
Pasquet A *see* Vanoverschelde J-LJ *et al*
Pasquié J-L *see* Leclercq F *et al*
Pasterkamp G *see* Smits PC *et al*
Patel DJ *see* Fotopoulos GD *et al*
Patel JC *see* Al-Mohammad A *et al*
Pathy MSJ. Cardiac surgery in elderly patients: benefits and resource priorities: *editorial*, **121**
Paul T *see* Kaulitz R *et al*
Paul V *see* Levy T *et al*
Paul VE *see* Fotopoulos GD *et al*
Payne N *see* Pickin DM *et al*
Pedersen J *see* Chaturvedi RR *et al*
Pell JP *et al.* Seasonal variations in out of hospital cardiopulmonary arrest, **680**
Pellerin D *see* Larrazet F *et al*
Pepper JR *see* Brecker SJD *et al*
Pepys MB *see* Gillmore JD *et al*
Perez I *et al.* Use of antithrombotic measures for stroke prevention in atrial fibrillation, **570**
Perrins J. Quality assurance in interventional cardiology, **II23**
Perrins JE *see* Norell MS *et al*
Perry I *see* Maheswaran R *et al*
Perry IJ *see* Whincup PH *et al*
Peters M *see* van Nieuwenhuizen RC *et al*
Pethig K *see* Fraund S *et al*
Peto T *see* Ghrew MH *et al*
Philbin EF *see* Afzal A *et al*
Pickin DM *et al.* Cost effectiveness of HMG-CoA reductase inhibitor (statin) treatment related to the risk of coronary heart disease and cost of drug treatment, **325**
Picozzi NM *et al.* Responses to constant work exercise in patients with chronic heart failure, **482**
Piek JJ *see* Verberne HJ *et al*
Pitris C *see* Fujimoto JG *et al*
Pizzetti F *see* Gasparini M *et al*
Politi A *see* Botto GL *et al*
Poret P *see* Babuty D *et al*
Poullis M. Coronary pressure measurements: catheter induced errors: *letter*, **644**
Diamorphine and British cardiology: so we are right!: *letter*, **645**
Prasad K *et al.* Echocardiographic pitfalls in the diagnosis of hypertrophic cardiomyopathy: *review*, **III8**
Preiss J-P *see* Brembilla-Perrot B *et al*
Premsekar R *et al.* Diagnosis, management, and pathophysiology of post-Fontan hypoxaemia secondary to Glenn shunt related pulmonary arteriovenous malformation, **528**
Prendergast B *et al.* Early therapeutic experience with the endothelin antagonist BQ-123 in pulmonary hypertension after congenital heart surgery, **505**
Prigent A *see* Larrazet F *et al*
Pringle SD *see* MacFadyen RJ *et al*

Proclemer A *see* Gasparini M *et al*

Quinn M *see* Mulholland HC *et al*
Qureshi SA *see* Magee AG *et al*

Rakhit RD *see* Henein MY *et al*
Ramires JAF *see* de Lourdes Higuchi M *et al*
see Mansur AP *et al*
Ramsay LE *see* Pickin DM *et al*
Rana BS *et al.* Recurrent pericardial effusion: the value of polymerase chain reaction in the diagnosis of tuberculosis, **246**
Rankin AC *see* Ng GA *et al*
Rao PS, Sideris EB. Transcatheter closure of atrial septal defects: *letter*, **644**
Ravn HB *see* Chaturvedi RR *et al*
Rawles JM *see* Trent RJ and Rawles JM
Raynaud M *see* Babuty D *et al*
Redington A *see* Bader R *et al*
see Chan KC *et al*
see Dhillon R *et al*
Redington AN *see* Chaturvedi RR *et al*
Refsum H *see* Whincup PH *et al*
Reid DS *see* Agrawal S *et al*
Reitsma JB *et al.* Cardiovascular disease in the Netherlands, 1975 to 1995: decline in mortality, but increasing numbers of patients with chronic conditions, **52**
Rensing BJ *et al.* In vivo assessment of three dimensional coronary anatomy using electron beam computed tomography after intravenous contrast administration, **523**
Rensing BJWM *see* van Geuns RJM *et al*
Reynolds GW *see* Sandoe JAT *et al*
Ribeiro A *et al.* Non-coronary sinus of Valsalva aneurysm diagnosed after a road traffic accident, **e5**
Ribichini F *see* Antonini-Canterin F *et al*
Richens T *see* Houston A *et al*
see McLeod KA *et al*
Rickards A, Cunningham D. From quantity to quality: the central cardiac audit database project, **II18**
Rickards AF *see* Melikian N *et al*
Rimington H *see* Takeda S *et al*
Ringrose T *see* Ghrew MH *et al*
Robson SA *see* Agrawal S *et al*
Rodrigues P *see* Ribeiro A *et al*
Rogers J *see* Mulholland HC *et al*
Rohlicek CV *et al.* Natural history and surgical outcomes for isolated discrete subaortic stenosis in children, **708**
Rombaut E *see* Gurné O *et al*
Roobottom C *see* Elford J *et al*
Rooney E *see* Murdoch DR *et al*
Rosenthal E *see* Magee AG *et al*
Rossi M *see* Moruzzi P *et al*
Rovai D *see* Nagy A *et al*
Ruiz H *see* Jensen-Urstad K *et al*
Rupprecht H-J *see* Zahn R *et al*
Russell DC *see* Jarmukli NF *et al*

Sadler DW. Commotio cordis: sudden death due to chest wall impact in sports: *letter*, **534**
SAFE I Study Investigators *see* Deplanque D *et al*
Sakakibara N *see* Hina K *et al*
Sakurai H *see* Suzuki H *et al*
Salmon AP *see* Premsekar R *et al*
Samad BA *see* Jensen-Urstad K *et al*
Sampedro FG *see* Gonzalez-Juanatey JR *et al*
Sánchez MA *see* Dominguez JCC *et al*
Sandoe JAT *et al. Staphylococcus capitis* endocarditis: two cases and review of the literature, **e1**
Sano S *see* Takusagawa M *et al*
Santarelli MT *see* Meschengieser SS *et al*
Sarzi-Braga S *see* Moruzzi P *et al*
Sawanobori T *see* Takusagawa M *et al*
Schaefer HE *see* Ihling C *et al*
Schaffner A *see* Truninger K *et al*
Schiele R *see* Zahn R *et al*
Schneider MBE *et al.* Cutting balloon for treatment of severe peripheral pulmonary stenoses in a child, **108**
Schroeder E *see* Gurné O *et al*
Schroeder-Tanka JM *see* Verberne HJ *et al*
Schuiki E *see* Straumann E *et al*
Schumacher M *see* Fruhwald FM *et al*
Scirica BM *see* Gurfinkel E and Scirica BM
Scognamiglio R *see* Nistri S *et al*
Seidl K *see* Zahn R *et al*
Seifert B *see* Truninger K *et al*
Seiler C *see* de Marchi SF *et al*
Senges J *see* Zahn R *et al*
Senior R, Lahiri A. Dobutamine echocardiography predicts functional outcome after revascularisation in patients with dysfunctional myocardium irrespective of the perfusion pattern on resting thallium-201 imaging, **668**
Serrador JM *et al.* Physical activity is a major contributor to the ultra low frequency components of heart rate variability, **e9**
Serrano Jr CV *see* Mansur AP *et al*
Serruys PW *see* van Domburg RT *et al*
Shapiro D *see* Murdoch DR *et al*
Sharpe N *see* Agewall S *et al*
Shaw LJ *et al.* Clinical and economic outcomes assessment with myocardial contrast echocardiography: *review*, **III16**
Sheppard MN *see* Henein MY *et al*
Shimamoto K *see* Tsuchihashi K *et al*
Sideris EB *see* Rao PS and Sideris EB
Sidi D *see* Butera G *et al*
Sigwart U *see* Brookes CIO and Sigwart U
Simões A *see* Ribeiro A *et al*
Simpson D *see* Codispoti M *et al*
Simpson IA *see* Rana BS *et al*
Singh S *see* Kalra GS *et al*
Sirel J *see* Pell JP *et al*
Smallhorn JF *see* Lee KJ *et al*
Smith GC *see* Prasad K *et al*
Smith M *see* Steeds RP *et al*
Smits PC *et al.* Coronary artery disease: arterial remodelling and clinical presentation, **461**
Snoeck JP *see* Vrints CJ *et al*
Somerville J *see* Bader R *et al*
Sorbo MD *see* Nistri S *et al*
Sorensen KE *see* Chaturvedi RR *et al*
Soria F *see* Pascual DA *et al*
Specchia G *see* Arbustini E *et al*
Sprigings DC. Cardiac surgery in the elderly: a cardiologist's perspective: *editorial*, **123**
Spyrou N *see* Fath-Ordoubadi F *et al*
Staal MJ *see* TenVaarwerk IAM *et al*
Steeds RP *et al.* An open label, randomised, crossover study comparing sotalol and atenolol in the treatment of symptomatic paroxysmal atrial fibrillation, **170**
Stefanadis C *see* Tousoulis D *et al*
Stehbens WE. Misuse of "coronary heart disease": *editorial*, **1**
Stella PR *see* Smits PC *et al*
Stenbog EV *see* Chaturvedi RR *et al*
Stephenson JBP *see* McLeod KA *et al*
Steptoe A. Psychosocial factors in the aetiology of coronary heart disease: *editorial*, **258**
Sterin-Borda L *see* Goin JC *et al*
Stiller B *et al.* Children may survive severe myocarditis with prolonged use of biventricular assist devices, **237**
Stirling J *see* Lawrenson J *et al*
Stoksflod L *see* Myreng Y *et al*
Storino R *see* Goin JC *et al*
Straumann E *et al.* Hospital transfer for primary coronary angioplasty in high risk patients with acute myocardial infarction, **415**
Struthers AD *et al.* Non-adherence with ACE inhibitor treatment is common in heart failure and can be detected by routine serum ACE activity assays, **584**
see MacFadyen RJ *et al*
Stubbs PJ *et al.* Significance of an index of insulin resistance on admission in non-diabetic patients with acute coronary syndromes, **443**
Stygall J *see* Newman S and Stygall J
Sutton AGC *et al.* Erosion of the left ventricle by the epicardial patch of an automatic implantable cardioverter defibrillator, **112**
Sutton R *see* Kurbaan AS and Sutton R
Suzuki H *et al.* Familial fibromuscular dysplasia of bilateral brachial arteries, **251**
Szombathy T *see* Ihling C *et al*

Tadema W *see* TenVaarwerk IAM *et al*
Taggart DP. The radial artery as a conduit for coronary artery bypass grafting: *editorial*, **409**
Taggart P *see* Hillis GS *et al*
Takagi S *see* Tsuchihashi K *et al*
Takeda S *et al.* The relation between transaortic pressure difference and flow during dobutamine stress echocardiography in patients with aortic stenosis, **11**
Takizawa H *see* Tsuchihashi K *et al*
Takusagawa M *et al.* Alterations of autonomic nervous activity in recurrence of variant angina, **75**
Tamura K *see* Takusagawa M *et al*
Taylor GP *see* Lee KJ *et al*
Tearney GJ *see* Fujimoto JG *et al*
Tena-Carbi D *see* Babuty D *et al*
Tennstedt C *et al.* Spectrum of congenital heart defects and extracardiac malformations associated with chromosomal abnormalities: results of a seven year necropsy study, **34**
Tentolouris C *see* Tousoulis D *et al*
TenVaarwerk IAM *et al.* Clinical outcome of patients treated with spinal cord stimulation for therapeutically refractory angina pectoris, **82**
Thanopoulos B *see* Dhillon R *et al*
Therrien J *et al.* Reversal of protein losing enteropathy with prednisone in adults with modified Fontan operations: long term palliation or bridge to cardiac transplantation?, **241**
Thiene G *see* Nistri S *et al*

Thomas JD *see* Armstrong GP *et al*
Thomas S *see* Dunn NR *et al*
Thompson DR, de Bono DP. How valuable is cardiac rehabilitation and who should get it?: *editorial*, **545**
Thomsen AB *see* Chaturvedi RR *et al*
Thomson A *see* Whincup PH *et al*
Thomson JDR, Uzun O. The aortic root after Bentall's procedure, **133**
Thorogood M *see* Dunn NR *et al*
Tijssen JGP *see* Bouma BJ *et al*
see Groenink M *et al*
see Reitsma JB *et al*
see van Nieuwenhuizen RC *et al*
Tognarin S *see* Gasparini M *et al*
Tolagen K *see* Wandt B *et al*
Topol EJ *see* Brener S and Topol EJ
Tousoulis D *et al.* Evidence of partially preserved endothelial dilator function in diseased coronary arteries, **471**
Toutouzas P *see* Tousoulis D *et al*
Townend JN *see* Pagano D *et al*
Treasure T, Janvrin S. Flying after heart surgery: *editorial*, **3**
Treiber G. Decrease of plasma fibrinogen after eradication of *Helicobacter pylori* infection in patients with ischaemic heart disease: *letter*, **646**
Trent RJ, Rawles JM. Risk stratification after acute myocardial infarction by Doppler stroke distance measurement, **187**
Trevelyan J, Been M. Intravascular ultrasound in the diagnosis of the no-reflow phenomenon after primary angioplasty for myocardial infarction, **e3**
Trip MD *see* van Nieuwenhuizen RC *et al*
Triposkiadis F *see* Dhillon R *et al*
Truninger K *et al.* Long term follow up of prosthetic valve endocarditis: what characteristics identify patients who were treated successfully with antibiotics alone?, **714**
Tsaousis G *see* Dhillon R *et al*
Tse H-F *et al.* Incidence and modes of onset of early reinitiation of atrial fibrillation after successful internal cardioversion, and its prevention by intravenous sotalol, **319**
Tsuchihashi K *et al.* Mobile intracardiac calcinosis: a new risk of thromboembolism in patients with haemodialysed end stage renal disease, **638**
Tsuji T *see* Hina K *et al*
Tuinenburg AE *et al.* Lack of prevention of heart failure by serial electrical cardioversion in patients with persistent atrial fibrillation, **486**
Turco P *see* Gasparini M *et al*
Tynan M *see* Magee AG *et al*

Ueland PM *see* Whincup PH *et al*
Uhl M *see* Ihling C *et al*
Umetani K *see* Takusagawa M *et al*
Unsworth-White J. Cardiac surgery for the elderly: a surgeon's perspective: *editorial*, **125**
Ura N *see* Tsuchihashi K *et al*
Urban P *see* Danchin N and Urban P
Uzun O *see* Thomson JDR and Uzun O

Valdes M *see* Pascual DA *et al*
Valsecchi O *see* Borghi A *et al*
van den Berg MP *see* Tuinenburg AE *et al*
van den Brand M *see* van Domburg RT *et al*
van den Brink RBA *see* Bouma BJ *et al*
van der Geest RJ *see* Niezen RA *et al*
van der Giessen W *see* van Domburg RT *et al*
van der Meulen JHP *see* Bouma BJ *et al*
see Reitsma JB *et al*
van der Wall EE *see* Groenink M *et al*
see Muntinga HJ *et al*
see Niezen RA *et al*
van Domburg RT *et al.* Long term outcome after coronary stent implantation: a 10 year single centre experience of 1000 patients, **II27**
van Gelder IC *see* Tuinenburg AE *et al*
van Geuns RJ *see* Rensing BJ *et al*
van Geuns RJM *et al.* Magnetic resonance imaging of the coronary arteries: clinical results from three dimensional evaluation of a respiratory gated technique, **515**
van Liebergen RAM *see* Verberne HJ *et al*
van Nieuwenhuizen RC *et al.* Abnormalities in liver function and coagulation profile following the Fontan procedure, **40**
van Ooijen PMA *see* Rensing BJ *et al*
see van Geuns RJM *et al*
Vanoverschelde J-LJ *et al.* Pathophysiology of myocardial hibernation. Implications for the use of dobutamine echocardiography to identify myocardial viability: *review*, **III1**
van Royen EA *see* Verberne HJ *et al*
van Ufford MAQ *see* Smits PC *et al*
Varnava A *et al.* A new mutation of the cardiac troponin T gene causing familial hypertrophic cardiomyopathy without left ventricular hypertrophy, **621**
Verberne HJ *et al.* Functional assessment of coronary artery stenosis by Doppler derived absolute and relative coronary blood flow velocity reserve in comparison with ^{99m}Tc MIBI SPECT, **509**
Verheul HA *see* Bouma BJ *et al*
Verma PK *see* Kalra GS *et al*
Vermeer F *et al.* Prospective randomised comparison between thrombolysis, rescue PTCA, and primary PTCA in patients with extensive myocardial infarction admitted to a hospital without PTCA facilities: a safety and feasibility study, **426**
Veyrat C *see* Larrazet F *et al*
Villa L *see* Fesslova' V *et al*
Villain E *see* Butera G *et al*
Virmani R *see* Arbustini E *et al*
Vliegen HW *see* Niezen RA *et al*
Vogel M *et al.* Incidence of secondary pulmonary hypertension in adults with atrial septal or sinus venosus defects, **30**
Vogt PR *see* Truninger K *et al*
Voigtländer T *see* Zahn R *et al*
Vrints CJ *et al.* Effect of stenting on coronary flow velocity reserve: comparison of coil and tubular stents, **465**

Wagner G *see* Konzag I *et al*
Wahlers T *see* Fraund S *et al*
Wakefield J *see* Maheswaran R *et al*
Walker M *see* Whincup PH *et al*
Walker S *see* Fotopoulos GD *et al*
see Levy T *et al*
Walsh K *see* Chan KC *et al*
Walton S *see* Mahy IR *et al*
Walton S *see* Al-Mohammad A *et al*
Wandt B *et al.* Echocardiographic assessment of ejection fraction in left ventricular hypertrophy, **192**
Wang J-K *see* Wu M-H *et al*
Watzinger N *see* Fruhwald FM *et al*
Webb DJ *see* Prendergast B *et al*
Webb GD *see* Therrien J *et al*
Weber T *see* Böttiger BW *et al*
Weidinger F *see* Gyöngyösi M *et al*
Weigner MJ *et al.* Left atrial appendage anatomy and function: short term response to sustained atrial fibrillation, **555**
Weinman J *see* Cooper A *et al*
Welch AE *see* Al-Mohammad A *et al*
Weng YG *see* Stiller B *et al*
Werter CJ *see* Vermeer F *et al*
West R. Of bombers, radiologists, and cardiologists: time to ROC: *letter*, **114**
Weston C *see* Easaw J *et al*
see Melville MR *et al*
Whalley GA *see* Agewall S *et al*
Whincup PH *et al.* Serum total homocysteine and coronary heart disease: prospective study in middle aged men, **448**
White P *see* Chaturvedi RR *et al*
Wielopolski PA *see* van Geuns RJM *et al*
Wilcox R. Catheter based treatment for all patients with acute coronary syndromes: is it possible for the UK NHS to cope with this problem?: *editorial*, **405**
Wilson GJ *see* Lee KJ *et al*
Wilson LE *see* Prendergast B *et al*
Wilson N *see* Chan KC *et al*
see Houston A *et al*
see McLeod KA *et al*
see McLeod KA *et al*
Windecker S *see* de Marchi SF *et al*
Witchitz S *see* Larrazet F *et al*
Working Group on Neurocardiology *see* TenVaarwerk IAM *et al*
Wranne B *see* Wandt B *et al*
Wu M-H *et al.* A variant of long QT syndrome manifested as fetal tachycardia and associated with ventricular septal defect, **386**
Wulfert E *see* Fox K *et al*

Yamaguchi H *see* Suzuki H *et al*
Yang P *see* Gyöngyösi M *et al*
Yeo WW *see* Pickin DM *et al*
Yin D *see* Takusagawa M *et al*
Yoon S *see* Straumann E *et al*
Young D *see* Ghrew MH *et al*
Ytre-Arne K *see* Myreng Y *et al*

Zahn R *et al.* Spectrum of reperfusion strategies and factors influencing the use of primary angioplasty in patients with acute myocardial infarction admitted to hospitals with the facilities to perform primary angioplasty, **420**
Zaidi AM *et al.* Good outcomes from cardiac surgery in the over 70s, **134**
Zanuttini D *see* Antonini-Canterin F *et al*
Zartner PA *see* Schneider MBE *et al*
Zeiher AM *see* Ihling C *et al*
Zerkowski H-R *see* Konzag I *et al*
Zghal N *see* Kouakam C *et al*
Zhao N *see* Hillis GS *et al*
Zubrzycka M *see* Magee AG *et al*
Zweiker R *see* Fruhwald FM *et al*

VOLUME 82 • SUBJECT INDEX

α_2 agonist, Effect of an α_2 agonist (mivazerol) on limiting myocardial ischaemia in stable angina, **383**

accessory pathway, A new ECG sign of an accessory pathway in sinus rhythm: pseudo partial right bundle branch block, **244**

acute coronary syndromes, Catheter based treatment for all patients with acute coronary syndromes: is it possible for the UK NHS to cope with this problem?: *editorial,* **405**

acute myocardial infarction, Acute myocardial infarction: bring the treatment to the patient: *editorial,* **404**
Cardiac rehabilitation: socially deprived patients are less likely to attend but patients ineligible for thrombolysis are less likely to be invited, **373**
Hospital transfer for primary coronary angioplasty in high risk patients with acute myocardial infarction, **415**
Infarct angioplasty: *editorial,* **399**
Logic and logistics: conundrum in reperfusion treatment for acute myocardial infarction: *editorial,* **402**
Plaque erosion is a major substrate for coronary thrombosis in acute myocardial infarction, **269**
Sleep apnoea in ischaemic heart disease: differences between acute and chronic coronary syndromes, **343**
Spectrum of reperfusion strategies and factors influencing the use of primary angioplasty in patients with acute myocardial infarction admitted to hospitals with the facilities to perform primary angioplasty, **420**

adenosine, Imaging of adenosine bolus transit following intravenous administration: insights into antiarrhythmic efficacy, **163**

admission rate, Spinal cord stimulation significantly decreases the need for acute hospital admission for chest pain in patients with refractory angina pectoris, **89**

aging, Cardiac surgery in the elderly: *commentary,* **119**
Cardiac surgery for the elderly: a surgeon's perspective: *editorial,* **125**
Cardiac surgery in elderly patients: benefits and resource priorities: *editorial,* **121**
Cardiac surgery in the elderly: a cardiologist's perspective: *editorial,* **123**
Surgery for aortic stenosis in severely symptomatic patients older than 80 years: experience in a single UK centre, **138**

aldosterone, How often are angiotensin II and aldosterone concentrations raised during chronic ACE inhibitor treatment in cardiac failure?, **57**

amiodarone, Impact of concurrent amiodarone treatment on the tolerability and efficacy of carvedilol in patients with chronic heart failure, **589**

Amplatz ductal occluder, Aortic obstruction caused by device occlusion of patent arterial duct, **109**

Amplatzer septal occluder, Transcatheter closure of atrial septal defect and interatrial communications with a new self expanding nitinol double disc device (Amplatzer septal occluder): multicentre UK experience, **300**
Transcatheter closure of atrial septal defects in adults with the Amplatzer septal occluder, **559**

amyloid, Hereditary cardiac amyloidosis associated with the transthyretin Ile122 mutation in a white man, **e2**

anaerobic threshold, Loss of the normal coupling between the anaerobic threshold and insulin sensitivity in chronic heart failure, **348**

analgesia, A young man with a heavy heart, **e11**

angina, Clinical outcome of patients treated with spinal cord stimulation for therapeutically refractory angina pectoris, **82**
Effect of raised plasma β endorphin concentrations on peripheral pain and angina thresholds in patients with stable angina, **204**
Improving quality of life in patients with angina: *editorial,* **654**

angiography, Arterial remodelling of native human coronary arteries in patients with unstable angina pectoris: a prospective intravascular ultrasound study, **68**
The radial approach for coronary angiography and stenting: *editorial,* **411**
Unusual congenital coronary anomaly and myocardial ischaemia, **e7**

angioplasty, Early and late effects of radiation treatment for prevention of coronary restenosis: a critical appraisal: *review,* **658**
Salvage angioplasty and stenting following spontaneous dissection of the left anterior descending coronary artery, **e6**

angiotensin converting enzyme inhibitors, How often are angiotensin II and aldosterone concentrations raised during chronic ACE inhibitor treatment in cardiac failure?, **57**
Non-adherence with ACE inhibitor treatment is common in heart failure and can be detected by routine serum ACE activity assays, **584**

angiotensin II, How often are angiotensin II and aldosterone concentrations raised during chronic ACE inhibitor treatment in cardiac failure?, **57**

antiarrhythmics, Imaging of adenosine bolus transit following intravenous administration: insights into antiarrhythmic efficacy, **163**

antibiotic treatment, Long term follow up of prosthetic valve endocarditis: what characteristics identify patients who were treated successfully with antibiotics alone?, **714**

anticoagulation, Should percutaneous devices be used to close a patent foramen ovale after cerebral infarction or TIA?: *editorial,* **537**
Stroke and atrial fibrillation: is stroke prevention treatment appropriate beforehand?, **563**
Warfarin in atrial fibrillation: underused in the elderly, often inappropriately used in the young: *editorial,* **539**

antiplatelets, Stroke and atrial fibrillation: is stroke prevention treatment appropriate beforehand?, **563**
Taming platelets in coronary stenting: ticlopidine out, clopidogrel in?: *editorial,* **651**

antithrombotics, Use of antithrombotic measures for stroke prevention in atrial fibrillation, **570**

aortic recoarctation, Stent implantation for aortic coarctation and recoarctation, **600**

aortic regurgitation, Influence of left ventricular relaxation on the pressure half time of aortic regurgitation, **607**
Subaortic stenosis: still more questions than answers: *editorial,* **647**

aortic root abscess, Aortic root abscess: *editorial,* **260**

aortic root dilatation, Aortic root dilatation in young men with normally functioning bicuspid aortic valves, **19**

aortic root dissection, Survival and complication free survival in Marfan's syndrome: implications of current guidelines, **499**

aortic stenosis, Cardiac surgery for the elderly: a surgeon's perspective: *editorial,* **125**
Cardiac surgery in elderly patients: benefits and resource priorities: *editorial,* **121**
Cardiac surgery in the elderly: a cardiologist's perspective: *editorial,* **123**
Exercise testing to guide surgery in aortic stenosis: *editorial,* **7**
The difficulties in assessing patients with moderate aortic stenosis: *editorial,* **5**
The relation between transaortic pressure difference and flow during dobutamine stress echocardiography in patients with aortic stenosis, **11**
To operate or not on elderly patients with aortic stenosis: the decision and its consequences, **143**

aortic valve replacement, QT dispersion is reduced after valve replacement in patients with aortic stenosis, **15**
Surgery for aortic stenosis in severely symptomatic patients older than 80 years: experience in a single UK centre, **138**

aortic valve stenosis, Aortic balloon dilatation for congenital aortic stenosis: report of 90 cases (1986-98), **e10**
Is aortic valve resistance more clinically meaningful than valve area in aortic stenosis?: *editorial,* **9**

aortoplasty, Dynamic cardiomyoplasty: time to wrap it up?: *editorial,* **263**

aortopulmonary shunt, Use of self expanding stents in stenotic aortopulmonary shunts in adults with complex cyanotic heart disease, **27**

apoptosis, Cystic medial degeneration of the aorta is associated with p53 accumulation, Bax upregulation, apoptotic cell death, and cell proliferation, **286**

arrhythmias, Prognostic significance of electrical alternans *v* signal averaged ECG in predicting the outcome of electrophysiological testing and arrhythmia-free survival: *letter,* **535**
Surgery for postinfarction ventricular tachycardia in the pre-implantable cardioverter defibrillator era: early and long term outcomes in 100 consecutive patients, **156**

arterial remodelling, Arterial remodelling of native human coronary arteries in patients with unstable angina pectoris: a prospective intravascular ultrasound study, **68**

aspirin, Use of antithrombotic measures for stroke prevention in atrial fibrillation, **570**

asynchronous wall motion, Decreased amplitude of left ventricular posterior wall motion with notch movement to determine the left posterior septal accessory pathway in Wolff-Parkinson-White syndrome, **731**

atenolol, An open label, randomised, crossover study comparing sotalol and atenolol in the treatment of symptomatic paroxysmal atrial fibrillation, **170**

atheromatous plaques, Pathogenic mechanisms in unstable angina, **I2**

atherosclerosis, Coronary artery disease: arterial remodelling and clinical presentation, **461**
Mechanisms of progression in native coronary artery disease: role of healed plaque disruption, **265**
Misuse of "coronary heart disease": *editorial,* **1**

atrial fibrillation, Electrophysiological effects of flecainide and propafenone on atrial fibrillation cycle and relation with arrhythmia termination, **176**
External cardioversion of atrial fibrillation: role of paddle position on technical efficacy and energy requirements, **726**

Incidence and modes of onset of early reinitiation of atrial fibrillation after successful internal cardioversion, and its prevention by intravenous sotalol, **319**
Lack of prevention of heart failure by serial electrical cardioversion in patients with persistent atrial fibrillation, **486**
Left atrial appendage anatomy and function: short term response to sustained atrial fibrillation, **555**
Left atrial appendage: structure, function, and role in thromboembolism: *review*, **547**
Left ventricular beat to beat performance in atrial fibrillation: dependence on contractility, preload, and afterload, **575**
Stroke and atrial fibrillation: is stroke prevention treatment appropriate beforehand?, **563**
Thromboembolism after atrioventricular node ablation and pacing: long term follow up, **494**
Use of antithrombotic measures for stroke prevention in atrial fibrillation, **570**
Warfarin in atrial fibrillation: underused in the elderly, often inappropriately used in the young: *editorial*, **539**
atrial natriuretic factor, N-terminal proatrial natriuretic peptide correlates with systolic dysfunction and left ventricular filling pattern in patients with idiopathic dilated cardiomyopathy, **630**
atrial paralysis, Cardiac involvement in Emery Dreifuss muscular dystrophy: a case series, **105**
atrial septal defects, Incidence of secondary pulmonary hypertension in adults with atrial septal or sinus venosus defects, **30**
Transcatheter closure of atrial septal defect and interatrial communications with a new self expanding nitinol double disc device (Amplatzer septal occluder): multicentre UK experience, **300**
Transcatheter closure of atrial septal defects in adults with the Amplatzer septal occluder, **559**
Transcatheter closure of atrial septal defects: *letter*, **644**
atrioventricular block, Is it possible to identify infrahissian cardiac conduction abnormalities in myotonic dystrophy by non-invasive methods?, **634**
atrioventricular node ablation, Thromboembolism after atrioventricular node ablation and pacing: long term follow up, **494**
atrioventricular plane displacement, Echocardiographic assessment of ejection fraction in left ventricular hypertrophy, **192**
audit, Technician run open access exercise electrocardiography, **378**
autoantibodies, Cardiac M_2 muscarinic cholinoceptor activation by human chagasic autoantibodies: association with bradycardia, **273**
autonomic nervous system, Autonomic control of the cerebral circulation during normal and impaired peripheral circulatory control, **365**
Total cavopulmonary and atriopulmonary connections are associated with reduced heart rate variability, **704**

β blockers, Major β blocker mortality trials in chronic heart failure: a critical review, **IV14**
Possible mechanisms of action in the positive effect of β blockers in heart failure, **IV5**
Recent clinical data regarding the use of β blockers in heart failure: focus on CIBIS II, **IV2**
β endorphin, Effect of raised plasma β endorphin concentrations on peripheral pain and angina thresholds in patients with stable angina, **204**
β myosin heavy chain, Malalignment of the sarcomeric filaments in hypertrophic cardiomyopathy with cardiac myosin heavy chain gene mutation, **625**
bicuspid aortic valve, Aortic root dilatation in young men with normally functioning bicuspid aortic valves, **19**
bidirectional cavopulmonary anastomosis, Diagnosis, management, and pathophysiology of post-Fontan hypoxaemia secondary to Glenn shunt related pulmonary arteriovenous malformation, **528**
bisoprolol, Recent clinical data regarding the use of β blockers in heart failure: focus on CIBIS II, **IV2**
biventricular assist device, Children may survive severe myocarditis with prolonged use of biventricular assist devices, **237**
blood transfusion, Transfusion associated graft versus host disease: *letter*, **255**
bradycardia, Cardiac M_2 muscarinic cholinoceptor activation by human chagasic autoantibodies: association with bradycardia, **273**
British Cardiovascular Intervention Society, Interventional cardiology : *editorial*, **II1**
Quality assurance in interventional cardiology, **II23**

C reactive protein, Pathogenic mechanisms in unstable angina, **I2**
cachexia, Inappropriately low plasma leptin concentration in the cachexia associated with chronic heart failure, **352**
carcinoid syndrome, Carcinoid constrictive pericarditis, **641**
cardiac catheterisation, Transhepatic approach for cardiac catheterisation in children: initial experience, **694**
cardiac markers, Utility of cardiac troponin I, creatine kinase-MB_{mass}, myosin light chain 1, and myoglobin in the early in-hospital triage of "high risk" patients with chest pain, **614**
cardiac mass, Mobile intracardiac calcinosis: a new risk of thromboembolism in patients with haemodialysed end stage renal disease, **638**
cardiac natriuretic peptides, Is BNP ready for use in clinical practice?: *letter*, **254**
cardiac power output, Estimation of cardiac reserve by peak power: validation and initial application of a simplified index, **357**
cardiac rehabilitation, Cardiac rehabilitation: socially deprived patients are less likely to attend but patients ineligible for thrombolysis are less likely to be invited, **373**
cardiac surgery, Cardiac surgery in the elderly: *commentary*, **119**
Good outcomes from cardiac surgery in the over 70s, **134**
Inhibition of nitric oxide synthesis improves left ventricular contractility in neonatal pigs late after cardiopulmonary bypass, **740**
Natural history and surgical outcomes for isolated discrete subaortic stenosis in children, **708**
cardiac technician, Technician run open access exercise electrocardiography, **378**
cardiogenic shock, Children may survive severe myocarditis with prolonged use of biventricular assist devices, **237**
cardiomyopathy, Heart transplant for dilated cardiomyopathy associated with polymyositis, **e4**
cardiopulmonary arrest, Seasonal variations in out of hospital cardiopulmonary arrest, **680**
cardiopulmonary resuscitation, Seasonal variations in out of hospital cardiopulmonary arrest, **680**
cardioversion, External cardioversion of atrial fibrillation: role of paddle position on technical efficacy and energy requirements, **726**
Lack of prevention of heart failure by serial electrical cardioversion in patients with persistent atrial fibrillation, **486**
carvedilol, Impact of concurrent amiodarone treatment on the tolerability and efficacy of carvedilol in patients with chronic heart failure, **589**
catheter ablation, Decreased amplitude of left ventricular posterior wall motion with notch movement to determine the left posterior septal accessory pathway in Wolff-Parkinson-White syndrome, **731**
cavopulmonary connections, Total cavopulmonary and atriopulmonary connections are associated with reduced heart rate variability, **704**
cell proliferation, Cystic medial degeneration of the aorta is associated with p53 accumulation, Bax upregulation, apoptotic cell death, and cell proliferation, **286**
central cardiac audit database, From quantity to quality: the central cardiac audit database project, **II18**
cerebral circulation, Autonomic control of the cerebral circulation during normal and impaired peripheral circulatory control, **365**
Chagas' disease, Different microcirculatory and interstitial matrix patterns in idiopathic dilated cardiomyopathy and Chagas' disease: a three dimensional confocal microscopy study, **279**
Dynamic cardiomyoplasty: time to wrap it up?: *editorial*, **263**
chagasic cardiomyopathy, Cardiac M_2 muscarinic cholinoceptor activation by human chagasic autoantibodies: association with bradycardia, **273**
chest pain, Utility of cardiac troponin I, creatine kinase-MB_{mass}, myosin light chain 1, and myoglobin in the early in-hospital triage of "high risk" patients with chest pain, **614**
chromosomal abnormalities, Spectrum of congenital heart defects and extracardiac malformations associated with chromosomal abnormalities: results of a seven year necropsy study, **34**
chronic heart failure, Responses to constant work exercise in patients with chronic heart failure, **482**
chronic hibernation, Pathophysiology of myocardial hibernation. Implications for the use of dobutamine echocardiography to identify myocardial viability: *review*, **III1**
classic Glenn shunt, Diagnosis, management, and pathophysiology of post-Fontan hypoxaemia secondary to Glenn shunt related pulmonary arteriovenous malformation, **528**
clinical audit, From quantity to quality: the central cardiac audit database project, **II18**
Quality assurance in interventional cardiology, **II23**
clinical decision making, To operate or not on elderly patients with aortic stenosis: the decision and its consequences, **143**
clinical outcome, Clinical and economic outcomes assessment with myocardial contrast echocardiography: *review*, **III16**
clopidogrel, Taming platelets in coronary stenting: ticlopidine out, clopidogrel in?: *editorial*, **651**
coagulase negative staphylococci, *Staphylococcus capitis* endocarditis: two cases and review of the literature, **e1**
coagulation, Abnormalities in liver function and coagulation profile following the Fontan procedure, **40**
coarctation, Stent implantation for aortic coarctation and recoarctation, **600**
coarctation of the aorta, Aortic obstruction caused by device occlusion of patent arterial duct, **109**
cognition, Changes in cognition following cardiac surgery: *editorial*, **541**
cognitive behavioural therapy, Non-cardiac chest pain: assessment and management: *editorial*, **656**
collateral blood flow, Combined assessment of reflow and collateral blood flow by myocardial contrast echocardiography after acute reperfused myocardial infarction, **62**

colour Doppler tissue imaging, Concordance between dobutamine Doppler tissue imaging echocardiography and rest reinjection thallium-201 tomography in dysfunctional hypoperfused myocardium, **432**
commotio cordis, Commotio cordis: a precordial thump?: *letter,* **534**
Commotio cordis: early observations: *letter,* **397**
Commotio cordis: sudden death due to chest wall impact in sports: *letter,* **534**
compliance, How often are angiotensin II and aldosterone concentrations raised during chronic ACE inhibitor treatment in cardiac failure?, **57**
Non-adherence with ACE inhibitor treatment is common in heart failure and can be detected by routine serum ACE activity assays, **584**
complications, Long term follow up of prosthetic valve endocarditis: what characteristics identify patients who were treated successfully with antibiotics alone?, **714**
computer assisted image processing, Magnetic resonance imaging of the coronary arteries: clinical results from three dimensional evaluation of a respiratory gated technique, **515**
congenital heart defects, Abnormalities in liver function and coagulation profile following the Fontan procedure, **40**
Aortic obstruction caused by device occlusion of patent arterial duct, **109**
Application of a low cost telemedicine link to the diagnosis of neonatal congenital heart defects by remote consultation, **217**
Early therapeutic experience with the endothelin antagonist BQ-123 in pulmonary hypertension after congenital heart surgery, **505**
Evolution and long term outcome in cases with fetal diagnosis of congenital heart disease: Italian multicentre study, **594**
Incidence of secondary pulmonary hypertension in adults with atrial septal or sinus venosus defects, **30**
Natural history and surgical outcomes for isolated discrete subaortic stenosis in children, **708**
Outpatient clinics for adults with congenital heart disease: *letter,* **256**
Persistent pulmonary hypertension of the newborn associated with pulmonary atresia and intact interventricular septum, **531**
Reversal of protein losing enteropathy with prednisone in adults with modified Fontan operations: long term palliation or bridge to cardiac transplantation?, **241**
Spectrum of congenital heart defects and extracardiac malformations associated with chromosomal abnormalities: results of a seven year necropsy study, **34**
Subaortic stenosis: still more questions than answers: *editorial,* **647**
Transcatheter closure of atrial septal defects: *letter,* **644**
Transcatheter closure of atrial septal defect and interatrial communications with a new self expanding nitinol double disc device (Amplatzer septal occluder): multicentre UK experience, **300**
Transcatheter closure of ventricular septal defect using detachable steel coil, **395**
Transhepatic approach for cardiac catheterisation in children: initial experience, **694**
Unusual congenital coronary anomaly and myocardial ischaemia, **e7**
Use of self expanding stents in stenotic aortopulmonary shunts in adults with complex cyanotic heart disease, **27**
constant load exercise, Responses to constant work exercise in patients with chronic heart failure, **482**
constrictive pericarditis, Carcinoid constrictive pericarditis, **641**
continuity equation, The relation between transaortic pressure difference and flow during dobutamine stress echocardiography in patients with aortic stenosis, **11**
contractility, Left ventricular beat to beat performance in atrial fibrillation: dependence on contractility, preload, and afterload, **575**
contrast echocardiography, Added value of contrast echocardiography in assessing myocardial viability: *review,* **III22**
Combined assessment of reflow and collateral blood flow by myocardial contrast echocardiography after acute reperfused myocardial infarction, **62**
Contrast echocardiography during pericardiocentesis: *letter,* **534**
coronary anatomy, In vivo assessment of three dimensional coronary anatomy using electron beam computed tomography after intravenous contrast administration, **523**
coronary angiography, In vivo assessment of three dimensional coronary anatomy using electron beam computed tomography after intravenous contrast administration, **523**
Magnetic resonance imaging of the coronary arteries: clinical results from three dimensional evaluation of a respiratory gated technique, **515**
coronary artery bypass graft, Adaptive mechanisms of arterial and venous coronary bypass grafts to an increase in flow demand, **336**
Cardiac intervention procedures in the United Kingdom 1997: developments in data collection, **II2**
Cardiac interventional procedures in the UK 1992 to 1996, **II10**
Transfusion associated graft versus host disease: *letter,* **255**
Good outcomes from cardiac surgery in the over 70s, **134**
PTCA versus CABG: a different interpretation of the results of randomised trials comparing both treatments, **413**
The radial artery as a conduit for coronary artery bypass grafting: *editorial,* **409**
Why patients do not attend cardiac rehabilitation: role of intentions and illness beliefs, **234**
coronary artery disease, Coronary artery disease: arterial remodelling and clinical presentation, **461**
Cost effectiveness of HMG-CoA reductase inhibitor (statin) treatment related to the risk of coronary heart disease and cost of drug treatment, **325**
Efficacy of coronary angioplasty for the treatment of hibernating myocardium, **210**
Evidence of partially preserved endothelial dilator function in diseased coronary arteries, **471**
Is the Framingham risk function valid for northern European populations?: *letter,* **114**
Magnetic resonance imaging of the coronary arteries: clinical results from three dimensional evaluation of a respiratory gated technique, **515**
coronary flow reserve, Effect of stenting on coronary flow velocity reserve: comparison of coil and tubular stents, **465**
coronary heart disease, Misuse of "coronary heart disease": *editorial,* **1**
Serum total homocysteine and coronary heart disease: prospective study in middle aged men, **448**
coronary pressure measurements, Coronary pressure measurements: catheter induced errors: *letter,* **644**
coronary reflow, Combined assessment of reflow and collateral blood flow by myocardial contrast echocardiography after acute reperfused myocardial infarction, **62**
coronary vasospasm, Management of unstable angina based on considerations of aetiology, **I5**
cost effectiveness, Cost effectiveness of HMG-CoA reductase inhibitor (statin) treatment related to the risk of coronary heart disease and cost of drug treatment, **325**
Spinal cord stimulation significantly decreases the need for acute hospital admission for chest pain in patients with refractory angina pectoris, **89**
cytokines, Inappropriately low plasma leptin concentration in the cachexia associated with chronic heart failure, **352**

depression, The importance of depression following myocardial infarction: *editorial,* **406**
detachable coil, Transcatheter closure of ventricular septal defect using detachable steel coil, **395**
developing countries, Management of scorpion sting: *letter,* **253**
diabetes mellitus, Autonomic control of the cerebral circulation during normal and impaired peripheral circulatory control, **365**
diagnosis, Echocardiographic pitfalls in the diagnosis of hypertrophic cardiomyopathy: *review,* **III8**
Of bombers, radiologists, and cardiologists: time to ROC: *letter,* **114**
diagnostic catheterisation, Cardiac interventional procedures in the UK 1992 to 1996, **II10**
diamorphine, Diamorphine and British cardiology: so we are right!: *letter,* **645**
dilated cardiomyopathy, Different microcirculatory and interstitial matrix patterns in idiopathic dilated cardiomyopathy and Chagas' disease: a three dimensional confocal microscopy study, **279**
dobutamine stress echocardiography, Combined assessment of reflow and collateral blood flow by myocardial contrast echocardiography after acute reperfused myocardial infarction, **62**
Dobutamine echocardiography predicts functional outcome after revascularisation in patients with dysfunctional myocardium irrespective of the perfusion pattern on resting thallium-201 imaging, **668**
Prevalence of hibernating myocardium in patients with severely impaired ischaemic left ventricles: *letter,* **535**
Doppler echocardiography, Instantaneous pressure–flow velocity relations of systemic venous return in patients with univentricular circulation, **294**
Risk stratification after acute myocardial infarction by Doppler stroke distance measurement, **187**
Should we ever treat the echo rather than the patient?: *editorial,* **652**
The relation between transaortic pressure difference and flow during dobutamine stress echocardiography in patients with aortic stenosis, **11**
Doppler guide wires, Effect of stenting on coronary flow velocity reserve: comparison of coil and tubular stents, **465**
Doppler jet velocity, The difficulties in assessing patients with moderate aortic stenosis: *editorial,* **5**
drinking water, Magnesium in drinking water supplies and mortality from acute myocardial infarction in north west England, **455**
drug treatment, Hypotension in patients with coronary disease: can profound hypotensive events cause myocardial ischaemic events?, **477**
dynamic cardiomyoplasty, Dynamic cardiomyoplasty: time to wrap it up?: *editorial,* **263**

echocardiography, Assessment of the quality of neonatal echocardiographic images transmitted by ISDN telephone lines, **222**
Decreased amplitude of left ventricular posterior wall motion with notch movement to determine the left posterior septal accessory pathway in Wolff-Parkinson-White syndrome, **731**
Echocardiographic pitfalls in the diagnosis of hypertrophic cardiomyopathy: *review,* **III8**

Left ventricular pseudoaneurysm complicating infective pericarditis, **393**
Should we ever treat the echo rather than the patient?: *editorial,* **652**
Unusual congenital coronary anomaly and myocardial ischaemia, **e7**
economic analysis, Optimising outcomes: socioeconomic perspective, **I18**
economic outcome, Clinical and economic outcomes assessment with myocardial contrast echocardiography: *review,* **III16**
ejection fraction, Echocardiographic assessment of ejection fraction in left ventricular hypertrophy, **192**
elderly, Good outcomes from cardiac surgery in the over 70s, **134**
To operate or not on elderly patients with aortic stenosis: the decision and its consequences, **143**
electric countershock, External cardioversion of atrial fibrillation: role of paddle position on technical efficacy and energy requirements, **726**
electrical alternans, Prognostic significance of electrical alternans *v signal averaged ECG in predicting the outcome of electrophysiological testing and arrhythmia-free survival: letter,* **535**
electrocardiography, Can the surface electrocardiogram be used to predict myocardial viability?, **663**
electron beam computed tomography, In vivo assessment of three dimensional coronary anatomy using electron beam computed tomography after intravenous contrast administration, **523**
electromyography, Physical activity is a major contributor to the ultra low frequency components of heart rate variability, **e9**
electrophysiology, Electrophysiological effects of flecainide and propafenone on atrial fibrillation cycle and relation with arrhythmia termination, **176**
embolism, Thromboembolism after atrioventricular node ablation and pacing: long term follow up, **494**
emergency medical services, Long term outcome after out-of-hospital cardiac arrest with physician staffed emergency medical services: the Utstein style applied to a midsized urban/suburban area, **674**
Emery Dreifuss muscular dystrophy, Cardiac involvement in Emery Dreifuss muscular dystrophy: a case series, **105**
end stage renal disease, Mobile intracardiac calcinosis: a new risk of thromboembolism in patients with haemodialysed end stage renal disease, **638**
endocarditis, Aortic root abscess: *editorial,* **260**
Staphylococcus capitis endocarditis: two cases and review of the literature, **e1**
Subaortic stenosis: still more questions than answers: *editorial,* **647**
endothelial function, Adaptive mechanisms of arterial and venous coronary bypass grafts to an increase in flow demand, **336**
Handgrip exercise increases postocclusion hyperaemic brachial artery dilatation, **93**
endothelin-1, Early therapeutic experience with the endothelin antagonist BQ-123 in pulmonary hypertension after congenital heart surgery, **505**
endothelium, Effect of cholesterol lowering treatment on positive exercise tests in patients with hypercholesterolaemia and normal coronary angiograms, **689**
Evidence of partially preserved endothelial dilator function in diseased coronary arteries, **471**
enoxaparin, Low molecular weight heparin (enoxaparin) in the management of unstable angina: the ESSENCE study, **I12**
Low molecular weight heparins (enoxaparin) in the management of unstable angina: the TIMI studies, **I15**
Optimising outcomes: socioeconomic perspective, **I18**
epicardial patch, Erosion of the left ventricle by the epicardial patch of an automatic implantable cardioverter defibrillator, **112**
epidemiology, Cardiovascular disease in the Netherlands, 1975 to 1995: decline in mortality, but increasing numbers of patients with chronic conditions, **52**
Serum total homocysteine and coronary heart disease: prospective study in middle aged men, **448**
ethics, Cardiac surgery in elderly patients: benefits and resource priorities: *editorial,* **121**
Cardiac surgery in the elderly: *commentary,* **119**
evidence based practice, PTCA versus CABG: a different interpretation of the results of randomised trials comparing both treatments, **413**
Excimer laser sheath, Initial experience in the extraction of chronically implanted pacemaker leads using the Excimer laser sheath, **101**
exercise, Effect of cholesterol lowering treatment on positive exercise tests in patients with hypercholesterolaemia and normal coronary angiograms, **689**
Haemodynamic performance of aortic pericardial bioprostheses and bileaflet prostheses at rest and during exercise: implications for the surgical management of patients with small aortic roots, **149**
exercise testing, Effect of repetitive episodes of exercise induced myocardial ischaemia on left ventricular function in patients with chronic stable angina: *letter,* **398**
Exercise testing to guide surgery in aortic stenosis: *editorial,* **7**
Prognostic value of symptom limited versus low level exercise stress test before discharge in patients with myocardial infarction treated with thrombolytics, **199**
Technician run open access exercise electrocardiography, **378**
exercise tolerance test, Effect of an α_2 agonist (mivazerol) on limiting myocardial ischaemia in stable angina, **383**
extracardiac malformations, Spectrum of congenital heart defects and extracardiac malformations associated with chromosomal abnormalities: results of a seven year necropsy study, **34**
extracellular matrix, Different microcirculatory and interstitial matrix patterns in idiopathic dilated cardiomyopathy and Chagas' disease: a three dimensional confocal microscopy study, **279**

false negatives, Echocardiographic pitfalls in the diagnosis of hypertrophic cardiomyopathy: *review,* **III8**
false positives, Echocardiographic pitfalls in the diagnosis of hypertrophic cardiomyopathy: *review,* **III8**
fetal echocardiography, Evolution and long term outcome in cases with fetal diagnosis of congenital heart disease: Italian multicentre study, **594**
fetal tachycardia, A variant of long QT syndrome manifested as fetal tachycardia and associated with ventricular septal defect, **386**
fibrinogen, Decrease of plasma fibrinogen after eradication of *Helicobacter pylori* infection in patients with ischaemic heart disease: *letter,* **646**
fibromuscular dysplasia, Familial fibromuscular dysplasia of bilateral brachial arteries, **251**
flecainide, Electrophysiological effects of flecainide and propafenone on atrial fibrillation cycle and relation with arrhythmia termination, **176**
flying, Flying after heart surgery: *editorial,* **3**
follow up, Long term outcome after coronary stent implantation: a 10 year single centre experience of 1000 patients, **II27**
Routine hospital based follow up for patients with mechanical valve prostheses: is it worthwhile?, **520**
Fontan circulation, Abnormalities in liver function and coagulation profile following the Fontan procedure, **40**
Diagnosis, management, and pathophysiology of post-Fontan hypoxaemia secondary to Glenn shunt related pulmonary arteriovenous malformation, **528**
Instantaneous pressure–flow velocity relations of systemic venous return in patients with univentricular circulation, **294**
forearm blood flow, Handgrip exercise increases postocclusion hyperaemic brachial artery dilatation, **93**
fractional flow reserve, Coronary pressure measurements: catheter induced errors: *letter,* **644**
fulminant myocarditis, Children may survive severe myocarditis with prolonged use of biventricular assist devices, **237**

gene therapy, Gene therapy made difficult: *letter,* **115**
genetics, Is it possible to identify infrahissian cardiac conduction abnormalities in myotonic dystrophy by non-invasive methods?, **634**
Matching treatment to the genetic basis of (lipid) disorder in patients with coronary artery disease: *editorial,* **126**
glucose, Significance of an index of insulin resistance on admission in non-diabetic patients with acute coronary syndromes, **443**
glyceryl trinitrate, Evidence of partially preserved endothelial dilator function in diseased coronary arteries, **471**
glycoprotein IIa/IIIb inhibitors, New antithrombotic and antiplatelet treatment, **I8**
graft versus host disease, Transfusion associated graft versus host disease: *letter,* **255**

haemodialysis hypoparathyroidism, Mobile intracardiac calcinosis: a new risk of thromboembolism in patients with haemodialysed end stage renal disease, **638**
haemodynamic variables, Haemodynamic performance of aortic pericardial bioprostheses and bileaflet prostheses at rest and during exercise: implications for the surgical management of patients with small aortic roots, **149**
Left ventricular beat to beat performance in atrial fibrillation: dependence on contractility, preload, and afterload, **575**
handgrip exercise, Handgrip exercise increases postocclusion hyperaemic brachial artery dilatation, **93**
head up tilt test, Inadequate sympathovagal balance in response to orthostatism in patients with unexplained syncope and a positive head up tilt test, **312**
health economics, Health economics of heart failure, **IV11**
Self administration of metolazone reduces readmissions with decompensated congestive cardiac failure: *letter,* **397**
heart failure, Coronary revascularisation for postischaemic heart failure: how myocardial viability affects survival, **684**
Future management of heart failure, **IV1**
Health economics of heart failure, **IV11**
Heart transplant for dilated cardiomyopathy associated with polymyositis, **e4**
Home inotrope treatment for intractable heart failure following heart transplantation, **248**
How often are angiotensin II and aldosterone concentrations raised during chronic ACE inhibitor treatment in cardiac failure?, **57**
Impact of concurrent amiodarone treatment on the tolerability and efficacy of carvedilol in patients with chronic heart failure, **589**
Inappropriately low plasma leptin concentration in the cachexia associated with chronic heart failure, **352**
Is BNP ready for use in clinical practice?: *letter,* **254**

Lack of prevention of heart failure by serial electrical cardioversion in patients with persistent atrial fibrillation, **486**
Loss of the normal coupling between the anaerobic threshold and insulin sensitivity in chronic heart failure, **348**
Major β blocker mortality trials in chronic heart failure: a critical review, **IV14**
Non-adherence with ACE inhibitor treatment is common in heart failure and can be detected by routine serum ACE activity assays, **584**
Possible mechanisms of action in the positive effect of β blockers in heart failure, **IV5**
Recent clinical data regarding the use of β blockers in heart failure: focus on CIBIS II, **IV2**
Self administration of metolazone reduces readmissions with decompensated congestive cardiac failure: *letter,* **397**
The scale of heart failure: diagnosis and management issues for primary care, **IV8**

heart rate, Cardiac M_2 muscarinic cholinoceptor activation by human chagasic autoantibodies: association with bradycardia, **273**

heart rate correction, A new physiological method for heart rate correction of the QT interval, **183**

heart rate variability, Inadequate sympathovagal balance in response to orthostatism in patients with unexplained syncope and a positive head up tilt test, **312**
Predicting the effect of D,L-sotalol on ventricular tachycardia inducibility from the RR variability response, **307**
Ten year survival after heart transplantation: palliative procedure or successful long term treatment?, **47**
Total cavopulmonary and atriopulmonary connections are associated with reduced heart rate variability, **704**

Helicobacter pylori, Decrease of plasma fibrinogen after eradication of *Helicobacter pylori* infection in patients with ischaemic heart disease: *letter,* **646**

heparin, Anticoagulation in pregnant women with mechanical heart valve prostheses, **23**

hereditary amyloidosis, Hereditary cardiac amyloidosis associated with the transthyretin Ile122 mutation in a white man, **e2**

hibernating myocardium, Concordance between dobutamine Doppler tissue imaging echocardiography and rest reinjection thallium-201 tomography in dysfunctional hypoperfused myocardium, **432**
Coronary revascularisation for postischaemic heart failure: how myocardial viability affects survival, **684**
Prevalence of hibernating myocardium in patients with severely impaired ischaemic left ventricles: *letter,* **535**

Holter monitoring, Physical activity is a major contributor to the ultra low frequency components of heart rate variability, **e9**

homocysteine, Serum total homocysteine and coronary heart disease: prospective study in middle aged men, **448**

homografts, Aortic root abscess: *editorial,* **260**

hormone suppression, How often are angiotensin II and aldosterone concentrations raised during chronic ACE inhibitor treatment in cardiac failure?, **57**

hospital admissions, Cardiovascular disease in the Netherlands, 1975 to 1995: decline in mortality, but increasing numbers of patients with chronic conditions, **52**

hospital transfer, Hospital transfer for primary coronary angioplasty in high risk patients with acute myocardial infarction, **415**

human rights, Cardiac surgery in the elderly: *commentary,* **119**

hypercholesterolaemia, Effect of cholesterol lowering treatment on positive exercise tests in patients with hypercholesterolaemia and normal coronary angiograms, **689**

hypertrophic cardiomyopathy, A new mutation of the cardiac troponin T gene causing familial hypertrophic cardiomyopathy without left ventricular hypertrophy, **621**
Echocardiographic pitfalls in the diagnosis of hypertrophic cardiomyopathy: *review,* **8**
Malalignment of the sarcomeric filaments in hypertrophic cardiomyopathy with cardiac myosin heavy chain gene mutation, **625**

hypotension, Hypotension in patients with coronary disease: can profound hypotensive events cause myocardial ischaemic events?, **477**

idiopathic dilated cardiomyopathy, N-terminal proatrial natriuretic peptide correlates with systolic dysfunction and left ventricular filling pattern in patients with idiopathic dilated cardiomyopathy, **630**

illness beliefs, Why patients do not attend cardiac rehabilitation: role of intentions and illness beliefs, **234**

Images in cardiology, Aorto-left ventricular tunnel, **225**
Apparent fracture of a pacemaker lead, **104**
Candida endocarditis of the right heart, **100**
Covered stent to treat co-existent coarctation and aneurysm of the aorta in a young man, **351**
Cutting balloon for treatment of severe peripheral pulmonary stenoses in a child, **108**
Infective endocarditis as a complication of a ruptured aneurysm of the sinus of Valsalva, **278**
Left main coronary artery lesion detected by transoesophageal echocardiography before cardioversion, **667**
Management of superior vena caval obstruction secondary to a pacing wire with percutaneous intravascular stent insertion, **182**
Mycotic aneurysm of the left pulmonary artery in a child with tetralogy of Fallot and *Streptococcus viridans* infective endocarditis, **88**
Pitfall in the diagnosis of pericardial effusion by echocardiography, **613**
Radiological findings in total anomalous pulmonary venous connection, **696**
Right atrial thrombus from an adrenocortical carcinoma, **522**
Spontaneous splenic haematoma after thrombolysis for acute myocardial infarction in a patient with von Recklinghausen's disease, **442**
The aortic root after Bentall's procedure, **133**
The Vineberg procedure, **569**
Thrombosis of an aortic valve prosthesis, **653**

imaging, High resolution in vivo intra-arterial imaging with optical coherence tomography, **128**
Imaging of adenosine bolus transit following intravenous administration: insights into antiarrhythmic efficacy, **163**

immunosuppression, Clinical outcomes of acute myocarditis in childhood, **226**

implantable cardioverter defibrillator, Erosion of the left ventricle by the epicardial patch of an automatic implantable cardioverter defibrillator, **112**

inotropes, Home inotrope treatment for intractable heart failure following heart transplantation, **248**

insulin resistance, Loss of the normal coupling between the anaerobic threshold and insulin sensitivity in chronic heart failure, **348**
Significance of an index of insulin resistance on admission in non-diabetic patients with acute coronary syndromes, **443**

interatrial communications, Transcatheter closure of atrial septal defect and interatrial communications with a new self expanding nitinol double disc device (Amplatzer septal occluder): multicentre UK experience, **300**

interventional cardiology, Aortic balloon dilatation for congenital aortic stenosis: report of 90 cases (1986-98), **e10**
Aortic obstruction caused by device occlusion of patent arterial duct, **109**
Cardiac interventional procedures in the UK 1992 to 1996, **II10**
Infarct angioplasty: *editorial,* **399**
Interventional cardiology : *editorial,* **II1**
Logic and logistics: conundrum in reperfusion treatment for acute myocardial infarction: *editorial,* **402**
Salvage angioplasty and stenting following spontaneous dissection of the left anterior descending coronary artery, **e6**
Taming platelets in coronary stenting: ticlopidine out, clopidogrel in?: *editorial,* **651**
The radial approach for coronary angiography and stenting: *editorial,* **411**
Transcatheter closure of atrial septal defects in adults with the Amplatzer septal occluder, **559**

intra-aortic balloon counterpulsation, Stabilisation of medically refractory ventricular arrhythmia by intra-aortic balloon counterpulsation, **96**

intracardiac mobile calcinosis, Mobile intracardiac calcinosis: a new risk of thromboembolism in patients with haemodialysed end stage renal disease, **638**

intracoronary Doppler, Functional assessment of coronary artery stenosis by Doppler derived absolute and relative coronary blood flow velocity reserve in comparison with ^{99m}Tc MIBI SPECT, **509**

intravascular ultrasound, Arterial remodelling of native human coronary arteries in patients with unstable angina pectoris: a prospective intravascular ultrasound study, **68**
Coronary artery disease: arterial remodelling and clinical presentation, **461**
High resolution in vivo intra-arterial imaging with optical coherence tomography, **128**
Intravascular ultrasound in the diagnosis of the no-reflow phenomenon after primary angioplasty for myocardial infarction, **e3**

ischaemia, Handgrip exercise increases postocclusion hyperaemic brachial artery dilatation, **93**

ischaemic heart disease, Added value of contrast echocardiography in assessing myocardial viability: *review,* **III22**
Decrease of plasma fibrinogen after eradication of *Helicobacter pylori* infection in patients with ischaemic heart disease: *letter,* **646**
Hypotension in patients with coronary disease: can profound hypotensive events cause myocardial ischaemic events?, **477**
Misuse of "coronary heart disease": *editorial,* **1**
Psychosocial factors in the aetiology of coronary heart disease: *editorial,* **258**
PTCA versus CABG: a different interpretation of the results of randomised trials comparing both treatments, **413**
Seasonal variations in out of hospital cardiopulmonary arrest, **680**

ischaemic preconditioning, Diamorphine and British cardiology: so we are right!: *letter,* **645**

isoprenaline, Electrophysiological effects of flecainide and propafenone on atrial fibrillation cycle and relation with arrhythmia termination, **176**

language, Misuse of "coronary heart disease": *editorial,* **1**
lead extraction, Initial experience in the extraction of chronically implanted pacemaker leads using the Excimer laser sheath, **101**
left atrial appendage, Left atrial appendage anatomy and function: short term response to sustained atrial fibrillation, **555**
Left atrial appendage: structure, function, and role in thromboembolism: *review,* **547**
left ventricular function, Estimation of cardiac reserve by peak power: validation and initial application of a simplified index, **357**
Left ventricular function in adults with mild pulmonary insufficiency late after Fallot repair, **697**
Prevalence of hibernating myocardium in patients with severely impaired ischaemic left ventricles: *letter,* **535**
left ventricular hypertrophy, Echocardiographic assessment of ejection fraction in left ventricular hypertrophy, **192**
QT dispersion is reduced after valve replacement in patients with aortic stenosis, **15**
left ventricular relaxation, Influence of left ventricular relaxation on the pressure half time of aortic regurgitation, **607**
leptin, Inappropriately low plasma leptin concentration in the cachexia associated with chronic heart failure, **352**
lifestyle, Lifestyle changes after a myocardial infarction: *editorial,* **543**
lipid lowering treatment, Matching treatment to the genetic basis of (lipid) disorder in patients with coronary artery disease: *editorial,* **126**
liver function, Abnormalities in liver function and coagulation profile following the Fontan procedure, **40**
liver metastases, Carcinoid constrictive pericarditis, **641**
long QT syndrome, A variant of long QT syndrome manifested as fetal tachycardia and associated with ventricular septal defect, **386**
Nicorandil abolished repolarisation alternans in a patient with idiopathic long QT syndrome, **e8**
long term follow up, Long term follow up of prosthetic valve endocarditis: what characteristics identify patients who were treated successfully with antibiotics alone?, **714**
long term outcome, Long term outcome after out-of-hospital cardiac arrest with physician staffed emergency medical services: the Utstein style applied to a midsized urban/suburban area, **674**
long term survival, Ten year survival after heart transplantation: palliative procedure or successful long term treatment?, **47**
low energy cardioversion, Incidence and modes of onset of early reinitiation of atrial fibrillation after successful internal cardioversion, and its prevention by intravenous sotalol, **319**
low molecular weight heparin, Advances in unstable angina: the role of low molecular weight heparins: *editorial,* **I1**
Low molecular weight heparin (enoxaparin) in the management of unstable angina: the ESSENCE study, **I12**
Low molecular weight heparins (enoxaparin) in the management of unstable angina: the TIMI studies, **I15**
New antithrombotic and antiplatelet treatment, **I8**
Optimising outcomes: socioeconomic perspective, **I18**

magnesium, Magnesium in drinking water supplies and mortality from acute myocardial infarction in north west England, **455**
magnetic resonance imaging, Left ventricular function in adults with mild pulmonary insufficiency late after Fallot repair, **697**
Magnetic resonance imaging of the coronary arteries: clinical results from three dimensional evaluation of a respiratory gated technique, **515**
Marfan's syndrome, Survival and complication free survival in Marfan's syndrome: implications of current guidelines, **499**
mechanical valve prosthesis, Routine hospital based follow up for patients with mechanical valve prostheses: is it worthwhile?, **520**
MemCalc method, Alterations of autonomic nervous activity in recurrence of variant angina, **75**
mercury poisoning, A young man with a heavy heart, **e11**
metabolic gas exchange, Responses to constant work exercise in patients with chronic heart failure, **482**
metolazone, Self administration of metolazone reduces readmissions with decompensated congestive cardiac failure: *letter,* **397**
microcirculation, Different microcirculatory and interstitial matrix patterns in idiopathic dilated cardiomyopathy and Chagas' disease: a three dimensional confocal microscopy study, **279**
middle aortic syndrome, Stenting for middle aortic syndrome: *letter,* **536**
mitral ring motion, Echocardiographic assessment of ejection fraction in left ventricular hypertrophy, **192**
morphine, Diamorphine and British cardiology: so we are right!: *letter,* **645**
mortality, Cardiovascular disease in the Netherlands, 1975 to 1995: decline in mortality, but increasing numbers of patients with chronic conditions, **52**
Good outcomes from cardiac surgery in the over 70s, **134**
Magnesium in drinking water supplies and mortality from acute myocardial infarction in north west England, **455**
The importance of depression following myocardial infarction: *editorial,* **496**
mortality risk, Risk stratification after acute myocardial infarction by Doppler stroke distance measurement, **187**
mortality trials, Major β blocker mortality trials in chronic heart failure: a critical review, **IV14**
mucoid cystic medial degeneration of the aorta, Cystic medial degeneration of the aorta is associated with p53 accumulation, Bax upregulation, apoptotic cell death, and cell proliferation, **286**
myocardial blood flow, Efficacy of coronary angioplasty for the treatment of hibernating myocardium, **210**
myocardial contrast echocardiography, Clinical and economic outcomes assessment with myocardial contrast echocardiography: *review,* **III16**
myocardial dysfunction, Combined assessment of reflow and collateral blood flow by myocardial contrast echocardiography after acute reperfused myocardial infarction, **62**
myocardial hibernation, Efficacy of coronary angioplasty for the treatment of hibernating myocardium, **210**
myocardial infarction, Is BNP ready for use in clinical practice?: *letter,* **254**
Lifestyle changes after a myocardial infarction: *editorial,* **543**
Magnesium in drinking water supplies and mortality from acute myocardial infarction in north west England, **455**
Prognostic value of symptom limited versus low level exercise stress test before discharge in patients with myocardial infarction treated with thrombolytics, **199**
Prospective randomised comparison between thrombolysis, rescue PTCA, and primary PTCA in patients with extensive myocardial infarction admitted to a hospital without PTCA facilities: a safety and feasibility study, **426**
Risk of myocardial infarction in young female smokers, **581**
Risk stratification after acute myocardial infarction by Doppler stroke distance measurement, **187**
Significance of an index of insulin resistance on admission in non-diabetic patients with acute coronary syndromes, **443**
Surgery for postinfarction ventricular tachycardia in the pre-implantable cardioverter defibrillator era: early and long term outcomes in 100 consecutive patients, **156**
The importance of depression following myocardial infarction: *editorial,* **406**
Trends in the provision of thrombolytic treatment between 1993 and 1997, **438**
Why patients do not attend cardiac rehabilitation: role of intentions and illness beliefs, **234**
myocardial ischaemia, Effect of an α_2 agonist (mivazerol) on limiting myocardial ischaemia in stable angina, **383**
Effect of cholesterol lowering treatment on positive exercise tests in patients with hypercholesterolaemia and normal coronary angiograms, **689**
Unusual congenital coronary anomaly and myocardial ischaemia, **e7**
myocardial metabolism, Pathophysiology of myocardial hibernation. Implications for the use of dobutamine echocardiography to identify myocardial viability: *review,* **III1**
myocardial oxygen consumption, Management of unstable angina based on considerations of aetiology, **I5**
myocardial perfusion, Added value of contrast echocardiography in assessing myocardial viability: *review,* **III22**
myocardial scarring, Can the surface electrocardiogram be used to predict myocardial viability?, **663**
myocardial viability, Added value of contrast echocardiography in assessing myocardial viability: *review,* **III22**
Can the surface electrocardiogram be used to predict myocardial viability?, **663**
Coronary revascularisation for postischaemic heart failure: how myocardial viability affects survival, **684**
Pathophysiology of myocardial hibernation. Implications for the use of dobutamine echocardiography to identify myocardial viability: *review,* **III1**
myocarditis, Clinical outcomes of acute myocarditis in childhood, **226**
myosin filament, Malalignment of the sarcomeric filaments in hypertrophic cardiomyopathy with cardiac myosin heavy chain gene mutation, **625**
myotonic dystrophy, Is it possible to identify infrahissian cardiac conduction abnormalities in myotonic dystrophy by non-invasive methods?, **634**

national data collection, Cardiac intervention procedures in the United Kingdom 1997: developments in data collection, **II2**
National Health Service, Cardiac intervention procedures in the United Kingdom 1997: developments in data collection, **II2**
Cardiac interventional procedures in the UK 1992 to 1996, **II10**
NC100100, Safety of the transpulmonary ultrasound contrast agent NC100100: a clinical and haemodynamic evaluation in patients with suspected or proved coronary artery disease, **333**
necropsy examination, Spectrum of congenital heart defects and extracardiac malformations associated with chromosomal abnormalities: results of a seven year necropsy study, **34**
neointima, Gene therapy made difficult: *letter,* **115**
neonatal pigs, Inhibition of nitric oxide synthesis improves left ventricular contractility in neonatal pigs late after cardiopulmonary bypass, **740**
Netherlands, Cardiovascular disease in the Netherlands, 1975 to 1995: decline in mortality, but increasing numbers of patients with chronic conditions, **52**

neuropsychology, Changes in cognition following cardiac surgery: *editorial,* **541**
NHS, Catheter based treatment for all patients with acute coronary syndromes: is it possible for the UK NHS to cope with this problem?: *editorial,* **405**
nicorandil, Nicorandil abolished repolarisation alternans in a patient with idiopathic long QT syndrome, **e8**
nitric oxide, Evidence of partially preserved endothelial dilator function in diseased coronary arteries, **471**
Inhibition of nitric oxide synthesis improves left ventricular contractility in neonatal pigs late after cardiopulmonary bypass, **740**
non-cardiac chest pain, A young man with a heavy heart, **e11**
Non-cardiac chest pain: assessment and management: *editorial,* **656**
noradrenaline, Is BNP ready for use in clinical practice?: *letter,* **254**
no-reflow phenomenon, Intravascular ultrasound in the diagnosis of the no-reflow phenomenon after primary angioplasty for myocardial infarction, **e3**
N-terminal pro-ANP, N-terminal proatrial natriuretic peptide correlates with systolic dysfunction and left ventricular filling pattern in patients with idiopathic dilated cardiomyopathy, **630**
nuclear medicine, Imaging of adenosine bolus transit following intravenous administration: insights into antiarrhythmic efficacy, **163**
nurse led clinics, Self administration of metolazone reduces readmissions with decompensated congestive cardiac failure: *letter,* **397**

occlusion devices, Transcatheter closure of atrial septal defects: *letter,* **644**
oesophageal reflux, Non-cardiac chest pain: assessment and management: *editorial,* **656**
open access services, Technician run open access exercise electrocardiography, **378**
optical coherence tomography, High resolution in vivo intra-arterial imaging with optical coherence tomography, **128**
oral anticoagulants, Anticoagulation in pregnant women with mechanical heart valve prostheses, **23**
out-of-hospital cardiac arrest, Long term outcome after out-of-hospital cardiac arrest with physician staffed emergency medical services: the Utstein style applied to a midsized urban/suburban area, **674**
oxygen consumption, Estimation of cardiac reserve by peak power: validation and initial application of a simplified index, **357**

p53 accumulation, Cystic medial degeneration of the aorta is associated with p53 accumulation, Bax upregulation, apoptotic cell death, and cell proliferation, **286**
pacing, Cardiac pacing for severe childhood neurally mediated syncope with reflex anoxic seizures, **721**
Initial experience in the extraction of chronically implanted pacemaker leads using the Excimer laser sheath, **101**
Pacing for vasovagal syncope: *editorial,* **649**
Thromboembolism after atrioventricular node ablation and pacing: long term follow up, **494**
paediatric cardiology, Aortic balloon dilatation for congenital aortic stenosis: report of 90 cases (1986-90), **e10**
Cardiac pacing for severe childhood neurally mediated syncope with reflex anoxic seizures, **721**
Children may survive severe myocarditis with prolonged use of biventricular assist devices, **237**
Clinical outcomes of acute myocarditis in childhood, **226**
Inhibition of nitric oxide synthesis improves left ventricular contractility in neonatal pigs late after cardiopulmonary bypass, **740**
Stenting for middle aortic syndrome: *letter,* **536**
Total cavopulmonary and atriopulmonary connections are associated with reduced heart rate variability, **704**
pain, Clinical outcome of patients treated with spinal cord stimulation for therapeutically refractory angina pectoris, **82**
Diamorphine and British cardiology: so we are right!: *letter,* **645**
Effect of raised plasma β endorphin concentrations on peripheral pain and angina thresholds in patients with stable angina, **204**
paroxysmal atrial fibrillation, An open label, randomised, crossover study comparing sotalol and atenolol in the treatment of symptomatic paroxysmal atrial fibrillation, **170**
patent foramen ovale, Should percutaneous devices be used to close a patent foramen ovale after cerebral infarction or TIA?: *editorial,* **537**
percutaneous coronary interventions, Cardiac intervention procedures in the United Kingdom 1997: developments in data collection, **II2**
Cardiac interventional procedures in the UK 1992 to 1996, **II10**
Efficacy of coronary angioplasty for the treatment of hibernating myocardium, **210**
Long term outcome after coronary stent implantation: a 10 year single centre experience of 1000 patients, **II27**
Prospective randomised comparison between thrombolysis, rescue PTCA, and primary PTCA in patients with extensive myocardial infarction admitted to a hospital without PTCA facilities: a safety and feasibility study, **426**
PTCA versus CABG: a different interpretation of the results of randomised trials comparing both treatments, **413**
Quality assurance in interventional cardiology, **II23**
Should percutaneous devices be used to close a patent foramen ovale after cerebral infarction or TIA?: *editorial,* **537**
percutaneous valvotomy, Aortic balloon dilatation for congenital aortic stenosis: report of 90 cases (1986-90), **e10**
perfusion, Dobutamine echocardiography predicts functional outcome after revascularisation in patients with dysfunctional myocardium irrespective of the perfusion pattern on resting thallium-201 imaging, **668**
pericardial disease, Restrictive pericarditis, **389**
pericardial effusion, Recurrent pericardial effusion: the value of polymerase chain reaction in the diagnosis of tuberculosis, **246**
pericardiocentesis, Contrast echocardiography during pericardiocentesis: *letter,* **534**
pericarditis, Left ventricular pseudoaneurysm complicating infective pericarditis, **393**
persistent pulmonary hypertension, Persistent pulmonary hypertension of the newborn associated with pulmonary atresia and intact interventricular septum, **531**
pilots, Flying after heart surgery: *editorial,* **3**
plaque disruption, Mechanisms of progression in native coronary artery disease: role of healed plaque disruption, **265**
plaque erosion, Plaque erosion is a major substrate for coronary thrombosis in acute myocardial infarction, **269**
plaque rupture, High resolution in vivo intra-arterial imaging with optical coherence tomography, **128**
platelets, Taming platelets in coronary stenting: ticlopidine out, clopidogrel in?: *editorial,* **651**
polymerase chain reaction, Recurrent pericardial effusion: the value of polymerase chain reaction in the diagnosis of tuberculosis, **246**
polymyositis, Heart transplant for dilated cardiomyopathy associated with polymyositis, **e4**
positron emission tomography, Can the surface electrocardiogram be used to predict myocardial viability?, **663**
Efficacy of coronary angioplasty for the treatment of hibernating myocardium, **210**
Pathophysiology of myocardial hibernation. Implications for the use of dobutamine echocardiography to identify myocardial viability: *review,* **III1**
Prevalence of hibernating myocardium in patients with severely impaired ischaemic left ventricles: *letter,* **535**
potassium channels, Nicorandil abolished repolarisation alternans in a patient with idiopathic long QT syndrome, **e8**
prazosin, Management of scorpion sting: *letter,* **253**
Management of scorpion sting: *letter,* **253**
predictors, Long term outcome after coronary stent implantation: a 10 year single centre experience of 1000 patients, **II27**
prednisone, Reversal of protein losing enteropathy with prednisone in adults with modified Fontan operations: long term palliation or bridge to cardiac transplantation?, **241**
pre-excitation, Decreased amplitude of left ventricular posterior wall motion with notch movement to determine the left posterior septal accessory pathway in Wolff-Parkinson-White syndrome, **731**
pregnancy, Anticoagulation in pregnant women with mechanical heart valve prostheses, **23**
prehospital care, Acute myocardial infarction: bring the treatment to the patient: *editorial,* **404**
prenatal diagnosis, Evolution and long term outcome in cases with fetal diagnosis of congenital heart disease: Italian multicentre study, **594**
pressure half time, Influence of left ventricular relaxation on the pressure half time of aortic regurgitation, **607**
prevention, Is the Framingham risk function valid for northern European populations?: *letter,* **114**
Warfarin in atrial fibrillation: underused in the elderly, often inappropriately used in the young: *editorial,* **539**
primary care, The scale of heart failure: diagnosis and management issues for primary care, **IV8**
primary angioplasty, Acute myocardial infarction: bring the treatment to the patient: *editorial,* **404**
Catheter based treatment for all patients with acute coronary syndromes: is it possible for the UK NHS to cope with this problem?: *editorial,* **405**
Hospital transfer for primary coronary angioplasty in high risk patients with acute myocardial infarction, **415**
Infarct angioplasty: *editorial,* **399**
Intravascular ultrasound in the diagnosis of the no-reflow phenomenon after primary angioplasty for myocardial infarction, **e3**
Logic and logistics: conundrum in reperfusion treatment for acute myocardial infarction: *editorial,* **402**
Prospective randomised comparison between thrombolysis, rescue PTCA, and primary PTCA in patients with extensive myocardial infarction admitted to a hospital without PTCA facilities: a safety and feasibility study, **426**
Spectrum of reperfusion strategies and factors influencing the use of primary angioplasty in patients with acute myocardial infarction admitted to hospitals with the facilities to perform primary angioplasty, **420**
primary prevention, Cost effectiveness of HMG-CoA reductase inhibitor (statin) treatment related to the risk of coronary heart disease and cost of drug treatment, **325**

prognosis, Prognostic value of symptom limited versus low level exercise stress test before discharge in patients with myocardial infarction treated with thrombolytics, **199**
progression of atherosclerosis, Matching treatment to the genetic basis of (lipid) disorder in patients with coronary artery disease: *editorial,* **126**
propafenone, Electrophysiological effects of flecainide and propafenone on atrial fibrillation cycle and relation with arrhythmia termination, **176**
prosthetic valve endocarditis, Long term follow up of prosthetic valve endocarditis: what characteristics identify patients who were treated successfully with antibiotics alone?, **714**
prosthetic valves, Anticoagulation in pregnant women with mechanical heart valve prostheses, **23**
Should we ever treat the echo rather than the patient?: *editorial,* **652**
protein losing enteropathy, Reversal of protein losing enteropathy with prednisone in adults with modified Fontan operations: long term palliation or bridge to cardiac transplantation?, **241**
pseudo right bundle branch block, A new ECG sign of an accessory pathway in sinus rhythm: pseudo partial right bundle branch block, **244**
pseudoaneurysm, Left ventricular pseudoaneurysm complicating infective pericarditis, **393**
Ultrasound guided percutaneous thrombin injection for the treatment of iatrogenic pseudoaneurysms, **526**
psychiatry, Hearts and minds: *editorial,* **257**
psychology, Hearts and minds: *editorial,* **257**
Improving quality of life in patients with angina: *editorial,* **654**
Non-cardiac chest pain: assessment and management: *editorial,* **656**
Psychosocial factors in the aetiology of coronary heart disease: *editorial,* **258**
The importance of depression following myocardial infarction: *editorial,* **406**
psychosocial intervention, How valuable is cardiac rehabilitation and who should get it?: *editorial,* **545**
public health, The scale of heart failure: diagnosis and management issues for primary care, **IV8**
pulmonary arteriovenous malformations, Diagnosis, management, and pathophysiology of post-Fontan hypoxaemia secondary to Glenn shunt related pulmonary arteriovenous malformation, **528**
pulmonary atresia and intact ventricular septum, Persistent pulmonary hypertension of the newborn associated with pulmonary atresia and intact interventricular septum, **531**
pulmonary hypertension, Early therapeutic experience with the endothelin antagonist BQ-123 in pulmonary hypertension after congenital heart surgery, **505**
Incidence of secondary pulmonary hypertension in adults with atrial septal or sinus venosus defects, **30**
pulmonary insufficiency, Left ventricular function in adults with mild pulmonary insufficiency late after Fallot repair, **697**
pulmonary vascular disease, Persistent pulmonary hypertension of the newborn associated with pulmonary atresia and intact interventricular septum, **531**

QT dispersion, QT dispersion is reduced after valve replacement in patients with aortic stenosis, **15**
QT interval, A new physiological method for heart rate correction of the QT interval, **183**
quality assurance, Quality assurance in interventional cardiology, **II23**
quality of life, Improving quality of life in patients with angina: *editorial,* **654**

radial artery, The radial approach for coronary angiography and stenting: *editorial,* **411**
The radial artery as a conduit for coronary artery bypass grafting: *editorial,* **409**
radiation, Early and late effects of radiation treatment for prevention of coronary restenosis: a critical appraisal: *review,* **658**
randomised trials, PTCA versus CABG: a different interpretation of the results of randomised trials comparing both treatments, **413**
rationing, Cardiac surgery in the elderly: *commentary,* **119**
receiver operator characteristic curves, Of bombers, radiologists, and cardiologists: time to ROC: *letter,* **114**
receptor antagonism, Early therapeutic experience with the endothelin antagonist BQ-123 in pulmonary hypertension after congenital heart surgery, **505**
recurrence of coronary spasm, Alterations of autonomic nervous activity in recurrence of variant angina, **75**
reflex anoxic seizures, Cardiac pacing for severe childhood neurally mediated syncope with reflex anoxic seizures, **721**
Pacing for vasovagal syncope: *editorial,* **649**
refractory angina pectoris, Spinal cord stimulation significantly decreases the need for acute hospital admission for chest pain in patients with refractory angina pectoris, **89**
registry, Long term outcome after coronary stent implantation: a 10 year single centre experience of 1000 patients, **II27**
rehabilitation, How valuable is cardiac rehabilitation and who should get it?: *editorial,* **545**
Improving quality of life in patients with angina: *editorial,* **654**
Lifestyle changes after a myocardial infarction: *editorial,* **543**
Why patients do not attend cardiac rehabilitation: role of intentions and illness beliefs, **234**
relative coronary blood flow velocity reserve, Functional assessment of coronary artery stenosis by Doppler derived absolute and relative coronary blood flow velocity reserve in comparison with ^{99m}Tc MIBI SPECT, **509**
remodelling, Coronary artery disease: arterial remodelling and clinical presentation, **461**
Left atrial appendage anatomy and function: short term response to sustained atrial fibrillation, **555**
reperfusion, Acute myocardial infarction: bring the treatment to the patient: *editorial,* **404**
Catheter based treatment for all patients with acute coronary syndromes: is it possible for the UK NHS to cope with this problem?: *editorial,* **405**
Logic and logistics: conundrum in reperfusion treatment for acute myocardial infarction: *editorial,* **402**
Prospective randomised comparison between thrombolysis, rescue PTCA, and primary PTCA in patients with extensive myocardial infarction admitted to a hospital without PTCA facilities: a safety and feasibility study, **426**
reperfusion treatment, Spectrum of reperfusion strategies and factors influencing the use of primary angioplasty in patients with acute myocardial infarction admitted to hospitals with the facilities to perform primary angioplasty, **420**
repolarisation alternans, Nicorandil abolished repolarisation alternans in a patient with idiopathic long QT syndrome, **e8**
rescue PTCA, Prospective randomised comparison between thrombolysis, rescue PTCA, and primary PTCA in patients with extensive myocardial infarction admitted to a hospital without PTCA facilities: a safety and feasibility study, **426**
resistance, The relation between transaortic pressure difference and flow during dobutamine stress echocardiography in patients with aortic stenosis, **11**
restenosis, Early and late effects of radiation treatment for prevention of coronary restenosis: a critical appraisal: *review,* **658**
Matching treatment to the genetic basis of (lipid) disorder in patients with coronary artery disease: *editorial,* **126**
restrictive pericarditis, Restrictive pericarditis, **389**
revascularisation, Dobutamine echocardiography predicts functional outcome after revascularisation in patients with dysfunctional myocardium irrespective of the perfusion pattern on resting thallium-201 imaging, **668**
Infarct angioplasty: *editorial,* **399**
PTCA versus CABG: a different interpretation of the results of randomised trials comparing both treatments, **413**
risk factors, Is the Framingham risk function valid for northern European populations?: *letter,* **114**
Risk of myocardial infarction in young female smokers, **581**
Warfarin in atrial fibrillation: underused in the elderly, often inappropriately used in the young: *editorial,* **539**
risk management, Flying after heart surgery: *editorial,* **3**
risk stratification, Prognostic value of symptom limited versus low level exercise stress test before discharge in patients with myocardial infarction treated with thrombolytics, **199**
Risk stratification after acute myocardial infarction by Doppler stroke distance measurement, **187**
Utility of cardiac troponin I, creatine kinase-MB$_{mass}$, myosin light chain 1, and myoglobin in the early in-hospital triage of "high risk" patients with chest pain, **614**
rupture, Plaque erosion is a major substrate for coronary thrombosis in acute myocardial infarction, **269**

safety, Safety of the transpulmonary ultrasound contrast agent NC100100: a clinical and haemodynamic evaluation in patients with suspected or proved coronary artery disease, **333**
sarcomere, Malalignment of the sarcomeric filaments in hypertrophic cardiomyopathy with cardiac myosin heavy chain gene mutation, **625**
scorpion venom, Management of scorpion sting: *letter,* **253**
Management of scorpion sting: *letter,* **253**
seasonal variations, Seasonal variations in out of hospital cardiopulmonary arrest, **680**
secondary prevention, Cost effectiveness of HMG-CoA reductase inhibitor (statin) treatment related to the risk of coronary heart disease and cost of drug treatment, **325**
How valuable is cardiac rehabilitation and who should get it?: *editorial,* **545**
Lifestyle changes after a myocardial infarction: *editorial,* **543**
septal aneurysm, Transcatheter closure of ventricular septal defect using detachable steel coil, **395**
sex effect, Physical activity is a major contributor to the ultra low frequency components of heart rate variability, **e9**
signal averaged ECG, Is it possible to identify infrahissian cardiac conduction abnormalities in myotonic dystrophy by non-invasive methods?, **634**
Prognostic significance of electrical alternans *v* signal averaged ECG in predicting the outcome of electrophysiological testing and arrhythmia-free survival: *letter,* **535**
sinus of Valsalva aneurysm, Non-coronary sinus of Valsalva aneurysm diagnosed after a road traffic accident, **e5**

sinus rhythm, A new ECG sign of an accessory pathway in sinus rhythm: pseudo partial right bundle branch block, **244**
sinus venosus defects, Incidence of secondary pulmonary hypertension in adults with atrial septal or sinus venosus defects, **30**
sleep apnoea, Sleep apnoea in ischaemic heart disease: differences between acute and chronic coronary syndromes, **343**
small aortic prostheses, Haemodynamic performance of aortic pericardial bioprostheses and bileaflet prostheses at rest and during exercise: implications for the surgical management of patients with small aortic roots, **149**
smoking, Risk of myocardial infarction in young female smokers, **581**
sotalol, An open label, randomised, crossover study comparing sotalol and atenolol in the treatment of symptomatic paroxysmal atrial fibrillation, **170**
Predicting the effect of D,L-sotalol on ventricular tachycardia inducibility from the RR variability response, **307**
spectral analysis, Physical activity is a major contributor to the ultra low frequency components of heart rate variability, **e9**
spinal cord stimulation, Clinical outcome of patients treated with spinal cord stimulation for therapeutically refractory angina pectoris, **82**
Spinal cord stimulation significantly decreases the need for acute hospital admission for chest pain in patients with refractory angina pectoris, **89**
sports injury, Commotio cordis: a precordial thump?: *letter,* **534**
Commotio cordis: early observations: *letter,* **397**
Commotio cordis: sudden death due to chest wall impact in sports: *letter,* **534**
stable angina, Effect of an α_2 agonist (mivazerol) on limiting myocardial ischaemia in stable angina, **383**
Sleep apnoea in ischaemic heart disease: differences between acute and chronic coronary syndromes, **343**
Stamps in cardiology, Conferences, **650**
de Musset sign, **262**
Exercise testing, **538**
Foundations and institutions, **120**
Hypertension, **408**
Miniature sheets (2), **4**
Staphylococcus capitis, *Staphylococcus capitis* endocarditis: two cases and review of the literature, **e1**
statins, Cost effectiveness of HMG-CoA reductase inhibitor (statin) treatment related to the risk of coronary heart disease and cost of drug treatment, **325**
stenosis, Gene therapy made difficult: *letter,* **115**
Mechanisms of progression in native coronary artery disease: role of healed plaque disruption, **265**
stents, Effect of stenting on coronary flow velocity reserve: comparison of coil and tubular stents, **465**
Long term outcome after coronary stent implantation: a 10 year single centre experience of 1000 patients, **II27**
Salvage angioplasty and stenting following spontaneous dissection of the left anterior descending coronary artery, **e6**
Stent implantation for aortic coarctation and recoarctation, **600**
Stenting for middle aortic syndrome: *letter,* **536**
Taming platelets in coronary stenting: ticlopidine out, clopidogrel in?: *editorial,* **651**
The radial approach for coronary angiography and stenting: *editorial,* **411**
Use of self expanding stents in stenotic aortopulmonary shunts in adults with complex cyanotic heart disease, **27**
stress, Psychosocial factors in the aetiology of coronary heart disease: *editorial,* **258**
stress echocardiography, Concordance between dobutamine Doppler tissue imaging echocardiography and rest reinjection thallium-201 tomography in dysfunctional hypoperfused myocardium, **432**
Effect of repetitive episodes of exercise induced myocardial ischaemia on left ventricular function in patients with chronic stable angina: *letter,* **398**
Estimation of cardiac reserve by peak power: validation and initial application of a simplified index, **357**
stress management, Improving quality of life in patients with angina: *editorial,* **654**
stroke, Hereditary cardiac amyloidosis associated with the transthyretin Ile122 mutation in a white man, **e2**
Should percutaneous devices be used to close a patent foramen ovale after cerebral infarction or TIA?: *editorial,* **537**
Stroke and atrial fibrillation: is stroke prevention treatment appropriate beforehand?, **563**
Use of antithrombotic measures for stroke prevention in atrial fibrillation, **570**
Warfarin in atrial fibrillation: underused in the elderly, often inappropriately used in the young: *editorial,* **539**
stroke distance, Risk stratification after acute myocardial infarction by Doppler stroke distance measurement, **187**
subaortic stenosis, Natural history and surgical outcomes for isolated discrete subaortic stenosis in children, **708**
Subaortic stenosis: still more questions than answers: *editorial,* **647**
sudden death, Cardiac involvement in Emery Dreifuss muscular dystrophy: a case series, **105**
Commotio cordis: a precordial thump?: *letter,* **534**
Commotio cordis: early observations: *letter,* **397**
Commotio cordis: sudden death due to chest wall impact in sports: *letter,* **534**
surgery, Cardiac surgery for the elderly: a surgeon's perspective: *editorial,* **125**
Cardiac surgery in elderly patients: benefits and resource priorities: *editorial,* **121**
Cardiac surgery in the elderly: a cardiologist's perspective: *editorial,* **123**
Changes in cognition following cardiac surgery: *editorial,* **541**
Flying after heart surgery: *editorial,* **3**
Persistent pulmonary hypertension of the newborn associated with pulmonary atresia and intact interventricular septum, **531**
surgical management, Surgery for postinfarction ventricular tachycardia in the pre-implantable cardioverter defibrillator era: early and long term outcomes in 100 consecutive patients, **156**
surgical mortality, Surgery for aortic stenosis in severely symptomatic patients older than 80 years: experience in a single UK centre, **138**
survival, Coronary revascularisation for postischaemic heart failure: how myocardial viability affects survival, **684**
Long term outcome after coronary stent implantation: a 10 year single centre experience of 1000 patients, **II27**
Surgery for aortic stenosis in severely symptomatic patients older than 80 years: experience in a single UK centre, **138**
Survival and complication free survival in Marfan's syndrome: implications of current guidelines, **499**
sympathetic activity, Alterations of autonomic nervous activity in recurrence of variant angina, **75**
Effect of an α_2 agonist (mivazerol) on limiting myocardial ischaemia in stable angina, **383**
syncope, Autonomic control of the cerebral circulation during normal and impaired peripheral circulatory control, **365**
Cardiac pacing for severe childhood neurally mediated syncope with reflex anoxic seizures, **721**
Pacing for vasovagal syncope: *editorial,* **649**
systemic venous flow pattern, Instantaneous pressure–flow velocity relations of systemic venous return in patients with univentricular circulation, **294**

^{99m}Tc MIBI single photon emission computed tomography, Functional assessment of coronary artery stenosis by Doppler derived absolute and relative coronary blood flow velocity reserve in comparison with ^{99m}Tc MIBI SPECT, **509**
telemedicine, Application of a low cost telemedicine link to the diagnosis of neonatal congenital heart defects by remote consultation, **217**
Assessment of the quality of neonatal echocardiographic images transmitted by ISDN telephone lines, **222**
tetralogy of Fallot, Left ventricular function in adults with mild pulmonary insufficiency late after Fallot repair, **697**
thallium 201 single photon emission computed tomography, Concordance between dobutamine Doppler tissue imaging echocardiography and rest reinjection thallium-201 tomography in dysfunctional hypoperfused myocardium, **432**
thrombin inhibitors, New antithrombotic and antiplatelet treatment, **I8**
thromboembolism, Left atrial appendage: structure, function, and role in thromboembolism: *review,* **547**
Mobile intracardiac calcinosis: a new risk of thromboembolism in patients with haemodialysed end stage renal disease, **638**
thrombolysis, Acute myocardial infarction: bring the treatment to the patient: *editorial,* **404**
Cardiac rehabilitation: socially deprived patients are less likely to attend but patients ineligible for thrombolysis are less likely to be invited, **373**
Infarct angioplasty: *editorial,* **399**
Prognostic value of symptom limited versus low level exercise stress test before discharge in patients with myocardial infarction treated with thrombolytics, **199**
Trends in the provision of thrombolytic treatment between 1993 and 1997, **438**
thrombosis, Management of unstable angina based on considerations of aetiology, **I5**
ticlopidine, Taming platelets in coronary stenting: ticlopidine out, clopidogrel in?: *editorial,* **651**
time delay, Hospital transfer for primary coronary angioplasty in high risk patients with acute myocardial infarction, **415**
time trends, Cardiovascular disease in the Netherlands, 1975 to 1995: decline in mortality, but increasing numbers of patients with chronic conditions, **52**
transcatheter closure, Transcatheter closure of ventricular septal defect using detachable steel coil, **395**
transhepatic approach, Transhepatic approach for cardiac catheterisation in children: initial experience, **694**
transmitral Doppler filling, N-terminal proatrial natriuretic peptide correlates with systolic dysfunction and left ventricular filling pattern in patients with idiopathic dilated cardiomyopathy, **630**
transplantation, Heart transplant for dilated cardiomyopathy associated with polymyositis, **e4**

Home inotrope treatment for intractable heart failure following heart transplantation, **248**

transthyretin, Hereditary cardiac amyloidosis associated with the transthyretin Ile122 mutation in a white man, **e2**

trauma, Non-coronary sinus of Valsalva aneurysm diagnosed after a road traffic accident, **e5**

triage, Utility of cardiac troponin I, creatine kinase-MB_{mass}, myosin light chain 1, and myoglobin in the early in-hospital triage of "high risk" patients with chest pain, **614**

troponin T, A new mutation of the cardiac troponin T gene causing familial hypertrophic cardiomyopathy without left ventricular hypertrophy, **621**

tuberculous pericarditis, Recurrent pericardial effusion: the value of polymerase chain reaction in the diagnosis of tuberculosis, **246**

ultrasound, Safety of the transpulmonary ultrasound contrast agent NC100100: a clinical and haemodynamic evaluation in patients with suspected or proved coronary artery disease, **333**

ultrasound guided thrombin injection, Ultrasound guided percutaneous thrombin injection for the treatment of iatrogenic pseudoaneurysms, **526**

unstable angina, Advances in unstable angina: the role of low molecular weight heparins: *editorial,* **I1**

Arterial remodelling of native human coronary arteries in patients with unstable angina pectoris: a prospective intravascular ultrasound study, **68**

Low molecular weight heparin (enoxaparin) in the management of unstable angina: the ESSENCE study, **I12**

Low molecular weight heparins (enoxaparin) in the management of unstable angina: the TIMI studies, **I15**

Management of unstable angina based on considerations of aetiology, **I5**

Pathogenic mechanisms in unstable angina, **I2**

Significance of an index of insulin resistance on admission in non-diabetic patients with acute coronary syndromes, **443**

Sleep apnoea in ischaemic heart disease: differences between acute and chronic coronary syndromes, **343**

Utstein style, Long term outcome after out-of-hospital cardiac arrest with physician staffed emergency medical services: the Utstein style applied to a midsized urban/suburban area, **674**

valve disorders, Exercise testing to guide surgery in aortic stenosis: *editorial,* 7

Is aortic valve resistance more clinically meaningful than valve area in aortic stenosis?: *editorial,* **9**

Non-coronary sinus of Valsalva aneurysm diagnosed after a road traffic accident, **e5**

Routine hospital based follow up for patients with mechanical valve prostheses: is it worthwhile?, **520**

Staphylococcus capitis endocarditis: two cases and review of the literature, **e1**

The difficulties in assessing patients with moderate aortic stenosis: *editorial,* **5**

valve replacement, Good outcomes from cardiac surgery in the over 70s, **134**

variant angina, Alterations of autonomic nervous activity in recurrence of variant angina, **75**

vasodilatation, Handgrip exercise increases postocclusion hyperaemic brachial artery dilatation, **93**

vasovagal syncope, Inadequate sympathovagal balance in response to orthostatism in patients with unexplained syncope and a positive head up tilt test, **312**

Pacing for vasovagal syncope: *editorial,* **649**

ventricular arrhythmia, Stabilisation of medically refractory ventricular arrhythmia by intra-aortic balloon counterpulsation, **96**

ventricular function, Added value of contrast echocardiography in assessing myocardial viability: *review,* **III22**

Effect of repetitive episodes of exercise induced myocardial ischaemia on left ventricular function in patients with chronic stable angina: *letter,* **398**

Inhibition of nitric oxide synthesis improves left ventricular contractility in neonatal pigs late after cardiopulmonary bypass, **740**

ventricular septal defect, A variant of long QT syndrome manifested as fetal tachycardia and associated with ventricular septal defect, **386**

Transcatheter closure of ventricular septal defect using detachable steel coil, **395**

ventricular tachycardia, Predicting the effect of D,L-sotalol on ventricular tachycardia inducibility from the RR variability response, **307**

volume rendering, In vivo assessment of three dimensional coronary anatomy using electron beam computed tomography after intravenous contrast administration, **523**

warfarin, Use of antithrombotic measures for stroke prevention in atrial fibrillation, **570**

Wolff-Parkinson-White syndrome, Decreased amplitude of left ventricular posterior wall motion with notch movement to determine the left posterior septal accessory pathway in Wolff-Parkinson-White syndrome, **731**

workload, Outpatient clinics for adults with congenital heart disease: *letter,* **256**